
All-Flex Mowers

AFM4014 & AFM40168



12718



315-471P Parts Manual



Read the Operator's manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!

© Copyright 2009 Printed 01/14/09

Cover photo may show optional equipment not supplied with standard unit.

Table of Contents



| Section 1: Introduction | |
|--|----------------|
| Using This Manual | 4 |
| Manual Replacement Information | 4 |
| Manual Revisions | |
| Touch-up Paint | |
| Hardware Legend | 5 |
| Replacement Hardware | 5 |
| Serial Numbers | |
| Part Number Service Coding | 5 |
| Section 2: Frame | 6 |
| Center Deck Pivot | 6 |
| Frame | 8 |
| Pull Latch Cord Lock-Up | |
| Right Hand and Left Hand Deck Pivot | |
| Transport Frame Tire and Hub (814-100C; 815-052C) | 14 |
| Section 3: Drivelines | |
| Driveline Arrangement | |
| Driveline Center Deck (826-064C) Eurocardan | |
| Driveline Center Deck (826-064C) Walterscheid | |
| Driveline Center Deck (826-371C) Eurocardan | |
| Driveline Center Deck W/Clutch (826-111C) | |
| Walterscheid | 24 |
| Driveline CV (826-143C) Walterscheid | |
| Driveline CV W/ Clutch (826-370C) Eurocardan | |
| Driveline Left & Right Hand Deck (826-145C) | 0 |
| Eurocardan | 30 |
| Driveline Left & Right Hand Deck (826-145C) | |
| Walterscheild | 32 |
| Driveline Left & Right Hand Deck (826-374C) | |
| Eurocardan | 34 |
| Driveline Left & Right Hand Deck W/Clutch (826-144C) | |
| Walterscheid | 36 |
| Driveline Slip Clutch (053314) Walterscheid | |
| Driveline Slip Clutch (1466305) Eurocardan | |
| Driveline Slip Clutch (1466607) Eurocardan | |
| Section 4: Decks | |
| Belt Drive Center and Right Hand Deck (S/N 212180-) | |
| Belt Drive Center and Right Hand Deck (S/N 212181+) | |
| Belt Drive Left Hand Deck (S/N 212180-) | |
| Belt Drive Left Hand Deck (S/N 212181+) | - 0 |
| Belt Take-Up Handle | |
| Channel Center Deck | |
| Channel Left Hand Deck | |
| Channel Right Hand Deck | |
| Deck and Roller | |
| Section 5: Gauge Wheels | |
| Gauge Wheel Center Deck (S/N 231294-) | |
| | |
| Gauge Wheel Center Deck (S/N 231295+) | |
| Gauge Wheel Left & Right Hand (S/N 231294-) | 00 |

| Gauge Wheel Left & Right Hand (S/N 231295+) | 68 |
|---|------|
| Gauge Wheels 814-070C and 814-114C) (S/N 23129 | |
| Section 6: Gear Boxes | 74 |
| Gearbox 4-Way Splitter (826-141C) (S/N 242926-) | 74 |
| Gearbox 4-Way Splitter (826-097C) Comer (S/N 2429 | |
| 272759) | 76 |
| Gearbox 4-Way Splitter (826-274C) OMNI (S/N | |
| 272760+) | 78 |
| Gearbox Center & Right Deck (826-122C) (S/N | |
| 211886-) | 80 |
| Gearbox Center & Right Deck (826-122C) Comer (S/I | |
| 211886-) | 82 |
| Gearbox Center & Right Deck (826-205C) OMNI (S/N 2 | |
| to 368117) | 84 |
| Gearbox Center & Right Deck (826-295C) OMNI (S/N 2 | |
| to 368117) | 86 |
| Gearbox Center & Right Deck (826-327C) Comer (S/I | N oo |
| 368118 +) Gearbox Left Deck (826-121C) Comer (S/N 211886-) | |
| Gearbox Left Deck (826-121C) ITG (S/N 211886-) | |
| Gearbox Left Deck (826-206C) OMNI (S/N 211887 to | |
| 368117) | |
| Gearbox Left Deck (826-326C) Comer (S/N 368118+ | |
| Section 7: Hydraulics | |
| Hydraulic Arrangement | |
| Hydraulic Cylinder (810-005C) | |
| Hydraulic Cylinder (810-150C) Cross | |
| Hydraulic Cylinder (810-150C) Midway | |
| Hydraulic Cylinder (810-150C) Red Lion | |
| Hydraulic Cylinder (810-200C) Midway | |
| Hydraulic Cylinder (810-200C) Red Lion | |
| Section 8: Labels | |
| Label Placement | |
| Safety Label Placement | |
| - | |
| | |

Part Number Index.....116

© Copyright 2009. All rights reserved.

Land Pride provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Land Pride assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Land Pride reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future. The illustrations in this manual are not intended for safe and proper assembly or disassembly of equipment. The illustrations are intended for ordering parts only.

Land Pride is registered trademark.

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.



Alphabetized Table of Contents

| D | | |
|---|--|-----|
| | Belt Drive Center and Right Hand Deck (S/N 212180-) | 44 |
| | Belt Drive Center and Right Hand Deck (S/N | |
| | 212181+) | 46 |
| | Belt Drive Left Hand Deck (S/N 212180-) | |
| | Belt Drive Left Hand Deck (S/N 212181+) | |
| | Belt Take-Up Handle | 52 |
| _ | | |
| C | | _ |
| | Center Deck Pivot | |
| | Channel Center Deck | |
| | Channel Left Hand Deck | |
| | Channel Right Hand Deck | 58 |
| D | | |
| ט | Deals and Dellan | 00 |
| | Deck and Roller | |
| | Driveline Arrangement | |
| | Driveline Center Deck (826-064C) Eurocardan | |
| | Driveline Center Deck (826-064C) Walterscheid | |
| | Driveline Center Deck (826-371C) Eurocardan | 22 |
| | Driveline Center Deck W/Clutch (826-111C) | 0.4 |
| | Walterscheid | 24 |
| | Driveline CV (826-143C) Walterscheid | |
| | Driveline CV W/ Clutch (826-370C) Eurocardan | 28 |
| | Driveline Left & Right Hand Deck (826-145C) | 20 |
| | Eurocardan | 30 |
| | Driveline Left & Right Hand Deck (826-145C) | 22 |
| | Walterscheild Driveline Left & Right Hand Deck (826-374C) | 32 |
| | • | 2.4 |
| | Eurocardan Driveline Left & Right Hand Deck W/Clutch (826-14) | |
| | Walterscheid | , |
| | Driveline Slip Clutch (053314) Walterscheid | |
| | Driveline Slip Clutch (053514) Walterscheid | |
| | Driveline Slip Clutch (1466607) Eurocardan | |
| | Driveline Slip Clutch (1400007) Eurocardan | 42 |
| F | | |
| • | Frame | ۵ |
| | Tallo | |
| G | | |
| | Gauge Wheel Center Deck (S/N 231294-) | 62 |
| | Gauge Wheel Center Deck (S/N 231295+) | |
| | Gauge Wheel Left & Right Hand (S/N 231294-) | |
| | Gauge Wheel Left & Right Hand (S/N 231295+) | |
| | Gauge Wheels 814-070C and 814-114C) (S/N | |
| | 231294-) | 72 |
| | Gearbox 4-Way Splitter (826-141C) (S/N 242926-) | 74 |
| | Gearbox 4-Way Splitter (826-097C) Comer (S/N 24 | |
| | to 272759) | |
| | Gearbox 4-Way Splitter (826-274C) OMNI (S/N | |
| | 272760+) | 78 |
| | Gearbox Center & Right Deck (826-122C) (S/N | |
| | 211886-) | 80 |
| | Gearbox Center & Right Deck (826-122C) Comer (| |
| | 211886-) | |
| | = · · · · · · · · · · · · · · · · · · · | |

| | Gearbox Center & Right Deck (826-205C) OMNI (S/N 211887 to 368117)84 |
|---|--|
| | Gearbox Center & Right Deck (826-295C) OMNI (S/N 211887 to 368117)86 |
| | Gearbox Center & Right Deck (826-327C) Comer (S/N 368118 +)88 |
| | Gearbox Left Deck (826-121C) Comer (S/N 211886-)90 Gearbox Left Deck (826-121C) ITG (S/N 211886-)92 |
| | Gearbox Left Deck (826-206C) OMNI (S/N 211887 to 368117)94 |
| | Gearbox Left Deck (826-326C) Comer (S/N 368118+)96 |
| Н | |
| | Hydraulic Arrangement98 |
| | Hydraulic Cylinder (810-005C) |
| | Hydraulic Cylinder (810-150C) Cross |
| | Hydraulic Cylinder (810-150C) Red Lion106 |
| | Hydraulic Cylinder (810-200C) Midway108 |
| | Hydraulic Cylinder (810-200C) Red Lion110 |
| L | |
| | Label Placement112 |
| Р | |
| | Pull Latch Cord Lock-Up10 |
| R | |
| | Right Hand and Left Hand Deck Pivot12 |
| S | |
| | Safety Label Placement114 |
| T | |
| | Transport Frame Tire and Hub (814-100C; 815-052C)14 |
| | |

General Information

Using This Manual

This manual is divided into sections. The first section contains General Information. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts. A Parts Number Index is located at the back of the book.

The Land Pride parts in this manual are specially designed for this machine and should be replaced with Land Pride parts only.

The information in this manual is current at time of printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the type of information contained on these pages.

Manual Replacement Information

Replacement manuals are available. Refer to our website at www.landpride.com or e-mail us at lit@landpride.com for additional information. Our website continues to provide the most up-to-date manuals available.


Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol cans and touch-up bottles with brush applicator are available through your local dealer. Land Pride color descriptions and part numbers are listed below. Also available are quart and gallon size paints. Add QT or GL to end of the Aerosol P/N.

| Color | Product ¹ | Aerosol | Touch-Up |
|---------------------------|----------------------|----------|------------|
| Gloss Black | LP | 821-032C | 821-032CTU |
| Medium Gloss Black | UV | 821-053C | 821-053CTU |
| Beige | LP | 821-011C | 821-011CTU |
| Green | SLP | 821-058C | 821-058CTU |
| Orange | SLP | 821-066C | 821-066CTU |
| Red | SLP/UV | 821-054C | 821-054CTU |
| Blue | SLP/UV | 821-067C | 821-067CTU |
| Dark Green Sparkle | UV | 821-055C | 821-055CTU |
| Gondo Forest Green | UV | 821-057C | 821-057CTU |
| Brite Yellow ² | UV | 821-056C | 821-056CTU |
| Gondo Yellow ³ | UV | 821-059C | 821-059CTU |

Notes:

- LP = All Land Pride Products except Utility Vehicles
 SLP = Select Land Pride Products that are available in optional Green, Orange, Red, & Blue colors.
 UV = Utility Vehicles
- 2 Used on Trekers and (Runabouts with S/N 407628-)
- 3 Used on Gondos and (Runabouts with S/N 407629+)



Land Pride Section 1 Introduction

General Information

Hardware Legend

| AR | As Required |
|----------|--|
| BLADE | Blade Bolt |
| С | Cap Screw |
| СР | Cotter Pin |
| CPHSSS | Cup Point Hex Socket Set Screw |
| CPSHSS | Cup Point Square Head Set Screw |
| CPSQHSS | Cup Point Square Head Set Screw |
| CRFCHMS3 | Cross Recess Flat Countersunk Head Machine Screw |
| CRPHMS | Cross Recess Pan Head Machine Screw |
| CRPHTFS | Cross Recess Pan Head Thread Forming |
| CRRHMS | Cross Recess Round Head Machine Screw |
| CRTHMS | Cross Recess Truss Head Machine Screw |
| CSNB | Countersunk Square Neck Bolt |
| FHMS | Flat Head Machine Screw |
| FTC | Full Thread Cap Screw |
| Н | Hex Nut |
| HCLN | Hex Center Lock Nut |
| HFLCS | Hex Flange Lock Cap Screw |
| HFS | Hex Flange Screw |
| HFSLN | Hex Flange Serrated Lock Nut |
| HFSS | Hex Flange Serrated Screw |
| HHCS | Hex Head Cap Screw or Metric Bolt |
| HSBHCS | Hex Socket Button Head Cap Screw |
| HSFCHCS | Hex Socket Flat Countersunk Head Cap Screw |
| HSHCS | Hex Socket Head Cap Screw |
| HSSS | Hex Socket Head Screw |
| HTLN | Hex Top Lock Nut |
| HWHCS | Hex Washer Head Cap Screw |

Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts list. All bolts and nuts are Grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

Colored Replacement Parts

Land Pride offers replacement parts in factory standard colors and also on select models in Green, Orange, Red and Blue. Because of the variety of colors available, special attention must be given to the part number to prevent ordering the wrong replacement part.

A suffix number corresponding to one of the colors below must be added at the end of Land Pride's part number when ordering a replacement part with that color.

| 81 | Green | 83 | Red |
|----|--------|----|------|
| 82 | Orange | 84 | Blue |

For example, if you are ordering a replacement part with part number 555-555C and the part you need is red, then add the suffix 83 to the end of the number to make the part number read 555-555C83. Parts ordered without a suffix number will be supplied in factory standard colors.

| HWHMS | Hex Washer Head Machine Screw |
|----------------|---|
| HXBHCS | Hex Socket Button Head Cap Screw |
| J | Hex Jam Nut |
| JIC | 37 Degree Tapered Thread |
| L | Helical Spring Lock Washer |
| LUG | Lug Bolt |
| NFC | National Fine Cap Screw |
| NPSM | National Pipe Straight Mechanical |
| NPTF | National Pipe Taper Fuel |
| P | Wide Plain Washer |
| PHMS | Pan Head Machine Screw |
| PLOW | Plow Bolt |
| RHMS | Round Head Machine Screw |
| RHSNB | Round Head Square Neck Bolt |
| SCREW LEVELING | Leveling Screw |
| SCREW THUMB | Thumb Screw |
| SCREW WELD | Weld Screw |
| SFCHMS | Slotted Flat Countersunk Head Machine Screw |
| SFHMS | Slotted Fillister Head Machine Screw |
| SP | Special |
| SP SCREW | Special Screw |
| SQHSS | Square Head Set Screw |
| SRHMS | Slotted Round Head Machine Screw |
| SSS | Socket Set Screw |
| STCS | Self Tapping Cap Screw |
| STHMS | Slotted Truss Head Machine Screw |
| WHEEL | Wheel Studs and Hub Long Bolts |
| WING | Wing Bolt |

Black Replacement Parts

Some parts are factory standard black and some must be special ordered black. If your part is special ordered black, a second part number with the additional suffix number 85 on the end will be available. In this situation you must order that part with the suffix number for it to be black. Parts that are factory standard black will not have the suffix number.

Part Number Service Coding

Within the parts list some part numbers are coded for revisions and interchangeability. See notations in revision column.

Serial Numbers

Always use the serial and model number when ordering parts. Refer to the Operator's Manual for serial number plate location.

| (S/N 20001+) Includes serial numbers 200 |
|--|
|--|

and above (to the latest

number)

(S/N 10001 to 20000) Includes serial numbers

between and including 10001

and 20000


(S/N 10000-) Includes serial numbers 10000

and below (to the earliest

number)

Center Deck Pivot


Applies to AFM4014 and AFM40168



Center Deck Pivot

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---------------|-----------------------------|
| | dwg13550 | Drawing Image Number | | |
| 1. | 315-420H | AFM4014 & 16 REAR DECK PIVOT | (S/N 242927+) | Rev. 2 not compat. w/Rev. 1 |
| 1. | 315-179H | REAR DECK PIVOT TUBE 168/200 | (S/N 242926-) | Rev. 1 |
| 2. | 315-487D | REAR DECK CYL LUG PIN | | |
| 3. | 802-152C | HHCS 1/4-20X2 GR5 | | |
| 4. | 315-183H | REAR DECK CYL LUG WELD | | |
| 5. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 6. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | | |
| 7. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 8. | 175-061D | PUSH, PIVOT TUBE HALF CLAMP | | |
| 9. | 175-060D | PIVOT TUBE WEAR PAD | | |
| 10. | 810-200C | CYL 2.5X8X1.12 ROD (TIE)1 PIN | (S/N 234477+) | Rev. 2 not compat. w/Rev. 1 |
| 10. | 810-005C | CYL 2X8X1.12 ROD SINGLE ACTING | (S/N 234476-) | Rev. 1 1 |
| 11. | 807-026C | PIVOT STOP SPRING | | |
| 12. | 805-131C | PIN CLEVIS 1 X 4 3/4 USABLE | | |
| 13. | 315-186H | FLIP LATCH WLDMNT RH | | |
| 14. | 804-029C | WASHER FLAT 1 SAE | | Rev. 2 |
| 14. | 804-028C | WASHER FLAT 1 USS PLT | | Rev 1; Use up stock |
| 15. | 803-007C | NUT LOCK 1/4-20 PLT | | |
| 16. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| 17. | 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | | |
| 18. | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| 19. | 805-004C | PIN CLEVIS 1 X 2 3/4 USABLE LG | | |
| 20. | 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | S/N 508304+ | |
| 20. | 805-088C | PIN, HAIR COTTER 3/16 WIRE DIA | S/N 508303- | |
| 21. | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | | |

Applies to AFM4014 and AFM40168




Frame

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------------|-----------------------------|
| | dwg13549 | Drawing Image Number | | |
| 1. | 315-450H | AFM4014/16 TRANSPORT FRAME | (S/N 290606+) | Rev. 3 not compat. w/Rev. 2 |
| 1. | 315-285H | 168-200 TRANSPORT FRAME | (S/N 176350-29 | Rev. 2 not compat. w/Rev. 1 |
| 1. | 315-180H | FRAME WELDMENT AFM40168/200 | (S/N 176349-) | Rev. 1 |
| 2. | 890-118C | SCREW JACK 2000# | | |
| 3. | 805-081C | PIN HITCH 3/4 X 4 3/8 | | |
| 4. | 802-360C | HHCS 3/4-10X6 1/2 | | |
| 5. | 803-027C | NUT HEX 3/4-10 PLT | | |
| 6. | 804-023C | WASHER LOCK SPRING 3/4 PLT | | |
| 7. | 401-372D | WASHER, SAFETY CHAIN | S/N 503871+ | |
| 7. | 804-024C | WASHER FLAT 3/4 USS PLT | S/N 503870- | |
| 8. | 890-182C | SAFETY CHAIN 10000 LB | | |
| 9. | 315-274H | FRONT HITCH LUG WELDMENT | (S/N 176350+) | |
| 9. | 315-197H | SWIVEL HITCH-FRONT AFM168/200 | (S/N 176349-) | |
| 10. | 802-280C | HHCS 3/4-10X7 1/2 GR5 | S/N 503871+ | |
| 10. | 802-095C | HHCS 3/4-10X7 GR5 | S/N 503870- | |
| 11. | 804-016C | WASHER FLAT 1/2 SAE PLT | /= n | |
| 12. | 315-139H | FRONT P.T.O. MOUNT | (S/N 176349-) | |
| 13. | 805-109C | PIN COTTER 1/8 X 1 1/4 PLT | (S/N 176349-) | |
| 14. | 802-205C | HHCS 1-8X5 1/2 GR5 | | |
| 15. | 804-028C | WASHER FLAT 1 USS PLT | | |
| 16. | 803-038C | NUT HEX 1-8 NYLON INSERT PLT | | |
| 17. | 803-148C | NUT HEX NYLOCK 5/8-11 PLT | | |
| 18. | 315-754D | BALL SWIVEL MOUNT BOTTOM PLATE | | |
| 19. | 315-369H | BALL SWIVEL MOUNT PLATE | | |
| 20. | 315-753D | HITCH SPACER TUBE | | |
| 21. | 802-235C | HHCS 1-8X5 GR5 | | |
| 22. | 802-060C | HHCS 5/8-11X4 GR5 | | |
| 23. | 804-019C | WASHER FLAT 5/8 USS PLT | / - # / | |
| 24. | 315-821D | AFM4014/16 BOLT-IN SPINDLE | (S/N 290606+) | |
| 25. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | (S/N 290606+) | |
| 26. | 803-019C | NUT LOCK 1/2-13 PLT | (S/N 290606+) | |
| 27. | 315-454E | AFM4014/16 RH BOLTIN SPIN. | | |
| 28. | 315-455E | AFM4014/16 LH BOLTIN SPIN. | | |
| 29. | 315-460A | 4014/16 BOLT-IN SPIN SHIPOUT | | |
| 30. | 802-283C | HHCS 1/4-20X1/2 GR2 | S/N 548516+ | |
| 31. | 816-504C | MANUAL STORAGE CONTAINER | S/N 548516+ | |
| 32. | 804-006C | WASHER LOCK SPRING 1/4 PLT | S/N 548516+ | |
| 33. | 804-007C | WASHER FLAT 1/4 SAE PLT | S/N 548516+ | |

Pull Latch Cord Lock-Up

Applies to AFM4014 and AFM40168




Pull Latch Cord Lock-Up

| Re£ | Part No. | Part Description | Comments | Revision |
|-----|----------------------|--|---|----------|
| 1. | dwg13552 890-337C | Drawing Image Number CORD-PARACHUTE 3/16 | Right & Left Hand Deck 34" Long and Center 44" Long. Frame to Tractor 156" Long. Total Length 23 Ft. Sold only in 12" increments | |
| 2. | 890-589C | 5/32 I.D. OVAL SLEEVE | | |
| 3. | 890-332C | WELDED RING 1/4 X 2 | | |
| 4. | 315-247S | 40168/200 DECK PULL ROPE NOTES: When Installing Cord to Deck Latchs Be Sure to Apply Tension to Cord For Poper Operation. | | |

Right Hand and Left Hand Deck Pivot

Applies to AFM4014 and AFM40168




Right Hand and Left Hand Deck Pivot

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---------------|-----------------------------|
| | dwg13817 | Drawing Image Number | | |
| 1. | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| 2. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |
| 3. | 315-182H | WING FLEX LUG AFM40168/200 | | |
| 4. | 890-278C | BUSHING CYL 1 1/4 X 1 X 1 3/8 | | |
| 5. | 890-005C | BUSHING CYL 1 1/4 X 1 X 1 | | |
| 6. | 802-115C | HHCS 5/16-18X2 GR5 | | Rev. 2 not compat. w/Rev. 1 |
| 6. | 802-152C | HHCS 1/4-20X2 GR5 | | Rev. 1 |
| 7. | 803-011C | NUT LOCK 5/16-18 PLT | | Rev. 2 not compat. w/Rev. 1 |
| 7. | 803-007C | NUT LOCK 1/4-20 PLT | | Rev. 1 |
| 8. | 315-565D | 40200 TOOLBAR PIVOT PIN | | |
| 9. | 315-564D | DECK FLEX PIVOT PIN | | |
| 10. | 805-131C | PIN CLEVIS 1 X 4 3/4 USABLE | | |
| 11. | 807-026C | PIVOT STOP SPRING | | |
| 12. | 315-186H | FLIP LATCH WLDMNT RH | | |
| 12. | 315-198H | FLIP LATCH WELDMENT LH | | _ |
| 13. | 804-029C | WASHER FLAT 1 SAE | | Rev. 2 |
| 13. | 804-028C | WASHER FLAT 1 USS PLT | | Rev 1; Use up stock |
| 14. | 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | | |
| 15. | 315-230H | 40168 R.H. TOOLBAR WELD | | |
| 16. | 315-231H | 40168 L.H. TOOLBAR WELD | | |
| 17. | 800-136C | ZERK 1/4-28 X 45 DEG SELF-TAP | | |
| 18. | 802-115C | HHCS 5/16-18X2 GR5 | | |
| 19. | 803-011C | NUT LOCK 5/16-18 PLT | (- 0 | |
| 20. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | (S/N 176349-) | |
| 21. | 315-235H | 40168 CORNER CARRIER MOUNT | (S/N 176349-) | |
| 22. | 803-020C | NUT HEX 1/2-13 PLT | (S/N 176349-) | |
| 23. | 804-015C | WASHER LOCK SPRING 1/2 PLT | (S/N 176349-) | |
| 24. | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | (S/N 508304+) | |

Transport Frame Tire and Hub (814-100C; 815-052C)

Applies to AFM4014 and AFM40168




Transport Frame Tire and Hub (814-100C; 815-052C)

| Ref. | Part No. | Part Description | Comments | Revision |
|----------------------------|--|--|--|--------------------------------|
| 1. 2. 2. 3. 4. | dwg13589 814-100C 814-052C 814-100C 0511421-710 051172600710 30-449S6B 2L363-17702-01 816-088C | Drawing Image Number Transport Frame Tire & Hub Transport Frame Tire & Hub TIRE & WHL ASSY 23 X 10.5-12 CL TIRE 23X10.5-12 4P TM TL CL TIRE 23X10.5-12 4P TRFCHIEF TILDEN RIM 12X8.50,8SPOKED BLK CL RIM ASSY 5 BOLT-12 X 8 1/2 VALVE STEM TR412 | Turf Mate Turf Chief (S/N 250500+) (S/N 250499-) | Rev. 2 Rev. 1; Use up stock |
| 5. 6. | 803-053C 804-025C | NUT HEX SLOTTED 3/4-16 WASHER FLAT 3/4 SAE PLT | | |
| 7. | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | | |
| 8. 9. | 815-052C 816-014C | HUB ASSY 5 BOLT 4 1/2" B.C. TINE GAUGE WHEEL HUB SEAL | | |
| 10. 11. | 822-030C 822-080C | BEARING CONE 1 BEARING CUP L44610 | | |
| 12. | B0-47 | NEILSON STUD 1/2-20UNFX1 13/16 | | |
| 13. | N/A 803-159C | NEILSON 5 BOLT HUB NUT LUG 1/2-20 X 60 DEG PLT | | |
| 14. 15. 15. | 890-614C 890-068C | GREASE CAP #1505 GREASE CAP | | Rev. 2 Rev. 1 |

Driveline Arrangement

Applies to AFM4014 and AFM40168




Driveline Arrangement

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------------------|-----------------------------|
| | dwg22021 | Drawing Image Number | | |
| 1. | 802-689C | HHCS 1/2-13X1 1/4 GR5 NYL | (S/N 287708+) | Rev. 3 not compat. w/Rev. 2 |
| 1. | 802-034C | HHCS 1/2-13X1 1/4 GR5 | (S/N 242927-287707) | Rev. 2 not compat. w/Rev. 1 |
| 1. | 802-258C | HHCS 1/2-13X1 GR5 | (S/N 242926-) | Rev. 1 |
| 2. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 3. | 315-448H | AFM14,16,22 SPLITTER BOX COVER | (S/N 272760+) | Rev. 3 not compat. w/Rev. 2 |
| 3. | 315-336H | 4-WAY BOX COVER-COMER | (S/N 242927-272759) | Rev. 2 not compat. w/Rev. 1 |
| 3. | 315-187H | SPLITTER BOX COVER AFM40200 | (S/N 242926-) | Rev. 1 |
| 4. | 826-111C | PTO 2200 X 33.86 W/CLUTCH | | |
| 4. | 826-064C | PTO CAT. 3 X 34 | | |
| 5. | 826-144C | PTO 2200 X 27.95 W/CLUTCH | | |
| 5. | 826-145C | PTO CAT. 3 X 27.95 W/O CLUTCH | | |
| 6. | 802-038C | HHCS 1/2-13X2 1/4 GR5 | | |
| 7. | 826-274C | GBOX DIVIDER OMNI 250559 1:1 | (S/N 272760+) | Rev. 3 not compat. w/Rev. 2 |
| 7. | 826-097C | RPBY 315-447A | (S/N 272759-) | Rev. 2 not compat. w/Rev. 1 |
| 7. | 826-141C | 4-WAY SPLITTER BOX 1:1 RATIO | | Rev. 1 |
| 8. | 826-143C | PTO CV 2480 X 51.5 NO CLUTCH | | |
| 8. | 826-370C | PTO CV CAT.4 W/CLUTCH | Optional | |
| 9. | 315-736D | 4-WAY COVER SPACER STUD | (S/N 242927-272759) | |
| 10. | 804-113C | WASHER FLAT 1/2 USS HARD PLT | (S/N 242927-287707)) | |
| 11. | 804-016C | WASHER FLAT 1/2 SAE PLT | (S/N 242927-272759) | |
| 12. | 803-020C | NUT HEX 1/2-13 PLT | (S/N 242927-272759) | |
| 13. | 802-226C | HHCS 1/2-13X2 3/4 GR5 | (S/N 272760+) | |
| 14. | 826-370C | PTO CV CAT.4 W/CLUTCH | S/N 257343+ | |
| 15. | 826-374C | PTO CAT.2 X 35 | S/N 257343+ | |
| 16. | 826-371C | PTO CAT.2 X 41 | S/N 257343+ | |

Driveline Center Deck (826-064C) Eurocardan

Applies to AFM4014 and AFM40168




Driveline Center Deck (826-064C) Eurocardan

| Ref. | Part No. | Part Description | Comments | Revision |
|------|-----------|--------------------------------|----------|---------------------|
| | dwg14057 | Drawing Image Number | | |
| | 0826-064C | PTO CAT. 3 X 34 | | |
| 1. | 1014012 | EC YOKE ASSEMBLY | | Rev. 2 |
| 1. | 1014010 | REP BY 1014012 | | Rev 1; Use up stock |
| 2. | 1004020 | EC CROSS ASSEMBLY | | |
| 3. | 6330865 | EC 8X65-DIN-1481 O/TUBE R/PIN | | |
| 4. | 1704027 | EC OUTER TUBE YOKE | | |
| 5. | 1524072 | EC OUTER TUBE | | Rev. 2 |
| 5. | 1534322 | RPBY 1524072 | | Rev 1; Use up stock |
| 6. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 7. | 1784210 | EC TUBE BEARING | | Rev. 2 |
| 7. | 1783016 | RPBY 1784210 | | Rev 1; Use up stock |
| 8. | 1884201 | EC OUTER TUBE RIGID CONE | | Rev. 2 |
| 8. | 1883230 | RPBY 1884201 | | Rev 1; Use up stock |
| 9. | 1873064 | EC OUTER TUBE | | Rev. 2 |
| 9. | 1884348 | RPBY 1873064 | | Rev 1; Use up stock |
| 10. | 1884203 | EC SOFT CONE | | Rev. 2 |
| 10. | 1883013 | RPBY 1884203 | | Rev 1; Use up stock |
| 11. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 12. | 1872064 | EC INNER TUBE | | Rev. 2 |
| 12. | 1774335 | RPBY 1872064 | | Rev 1; Use up stock |
| 13. | 1884202 | EC INNER TUBE RIGID CONE | | |
| 13. | 1883231 | RPBY 1884202 | | Rev. 2 |
| 14. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | Rev 1; Use up stock |
| 15. | 1525072 | EC INNER TUBE | | Rev. 2 |
| 15. | 1534308 | RPBY 1525072 | | Rev 1; Use up stock |
| 16. | 1704029 | EC INNER TUBE YOKE | | |
| 17. | 1014012 | EC YOKE ASSEMBLY | | Rev. 2 |
| 17. | 1114010 | REP BY 1014012 | | Rev. 1 |
| 18. | 1884205 | EC SOFT LONG CONE | | |
| 19. | 1004225 | EC PULL COLLAR KIT | | |
| 20. | 1004225 | EC PULL COLLAR KIT | | |
| 21. | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| 22. | 1004224 | EC TWIST COLLAR KIT (IMP. END) | | |

Driveline Center Deck (826-064C) Walterscheid

Applies to AFM4014 and AFM40168




Driveline Center Deck (826-064C) Walterscheid

| Re£ | Part No. | Part Description | Comments | Revision |
|-----|--------------------------------|---|----------|---------------------|
| 1. | dwg13813 826-064C 196839 | Drawing Image Number PTO CAT. 3 X 34 WS YOKE 1 3/8-6 SPL ASGE | | Rev. 2 |
| 1. | 380906 | RPBY 196839 | | Rev 1; Use up stock |
| 2. | 390404 | WS ASGE COLLAR KIT | | Rev. 2 |
| 2. | 381908 | RPBY 390404 | | Rev 1; Use up stock |
| 3. | 044444 | WS CROSS & BRG KIT | | |
| 4. | 041576 | WS INBOARD YOKE | | |
| 5. | 020616 | WS SPRING PIN | | |
| 6. | 364859 | WS INNER PROFILE 826-064C | | |
| 7. | 377335 | WS SHIELD CONE - 5 RIB | | |
| 8. | 087276 | WS BEARING RING - SC25 | | |
| 9. | 382877 | WS OUTER SHIELD TUBE OVL | | |
| 10. | 382878 | WS INNER SHIELD TUBE RND | | |
| 11. | 377340 | WS SHIELD CONE 10 RIB | | |
| 12. | 381178 | WS YOKE W/OTR PROFILE 826-064C | | |
| 13. | 365305 | WS SCREW | | |
| 14. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 15. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 16. | 818-552C | DECAL DANGER PTO DRIVELINE | | |

Driveline Center Deck (826-371C) Eurocardan

Applies to AFM4014 and AFM40168




Driveline Center Deck (826-371C) Eurocardan

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------|----------|
| | dwg22022 | Drawing Image Number | | |
| | 826-371C | PTO CAT.2 X 41 | | |
| 1. | 1014113 | EC YOKE ASSEMBLY | | |
| 2. | 1004020 | EC CROSS ASSEMBLY (U JOINT) | | |
| 3. | 1704027 | EC OUTER TUBE YOKE | | |
| 4. | 6330860 | EC 08X60 1485DIN ROLL PIN | | |
| 5. | 1524902 | EC INNER TUBE | | |
| 6. | 1525072 | EC INNER TUBE (1525095) 720MM | | |
| 7. | 1704029 | EC INNER TUBE YOKE | | |
| 8. | 1014113 | EC YOKE ASSEMBLY | | |
| 9. | 6330855 | EC 8X55-DIN-1481 O/TUBE R/PIN | | |
| 10. | 1784210 | EC TUBE BEARING | | |
| 11. | 1884201 | EC OUTER TUBE RIGID CONE | | |
| 12. | 1213233 | EC STIFFENING RING | | |
| 13. | 1884203 | EC SOFT CONE | | |
| 14. | 1784212 | EC PIN STOP ROTATION | | |
| 15. | 1873901 | EC OUTER TUBE SHIELD | | |
| 16. | 1872901 | EC INNER SHIELD TUBE | | |
| 17. | 1884205 | EC SOFT LONG CONE | | |
| 18. | 1884202 | EC INNER TUBE RIGID CONE | | |
| 19. | 1784211 | EC TUBE BEARING | | |
| 20. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 21. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 22. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 23. | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| 24. | 1004229 | EC PULL COLLAR REPLACEMENT KIT | | |

Driveline Center Deck W/Clutch (826-111C) Walterscheid

Applies to AFM4014 and AFM40168




Driveline Center Deck W/Clutch (826-111C) Walterscheid

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---------------|-----------------------------|
| | dwg13449 | Drawing Image Number | | |
| | 826-111C | PTO 2200 X 33.86 W/CLUTCH | | |
| 1. | 196837 | WS ASGE YOKE 1 3/8-6 SPL. | | Rev. 2 |
| 1. | 380905 | RPBY 196837 | | Rev 1; Use up stock |
| 2. | 390404 | WS ASGE COLLAR KIT | | Rev. 2 |
| 2. | 381908 | RPBY 390404 | | Rev 1; Use up stock |
| 3. | 044439 | WALTSCHEID CROSS & BRG KIT | | |
| 4. | 041065 | WS INBOARD YOKE | | |
| 5. | 020614 | WS SPRING PIN | | |
| 6. | 047680 | WS INNER PROFILE 826-111C | | |
| 7. | 377234 | WS SHIELD CONE-4 RIB | | |
| 8. | 087279 | WS BEARING RING | | |
| 9. | 392052 | WS OUTER SHIELD OVL. | (S/N 259230+) | Rev. 2 not compat. w/Rev. 1 |
| 9. | 387332 | RPBY 392052 | (S/N 259229+) | Rev. 1 |
| 10. | 392050 | WS INNER SHIELD RND. | (S/N 259230+) | Rev. 2 not compat. w/Rev. 1 |
| 10. | 387266 | RPBY 392050 | (S/N 259229+) | Rev. 1 |
| 11. | 390289 | WS YOKE W/OTR PROFILE 826-111C | | |
| 12. | 365305 | WS SCREW | | |
| 13. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 14. | 053314 | WS FRICTION CLUTCH | | |
| 15. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 16. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 17. | 377240 | WS SHIELD CONE-10RIB | | |
| 18. | 380371 | WS ZERK | (S/N 259230+) | |
| 19. | 355154 | WS SUPPORT BEARING | (S/N 259230+) | |

Driveline CV (826-143C) Walterscheid

Applies to AFM4014 and AFM40168




Driveline CV (826-143C) Walterscheid

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|-------------------------------|----------|---------------------|
| | dwg13812 | Drawing Image Number | | |
| | 826-143C | PTO CV 2480 X 51.5 NO CLUTCH | | |
| 1. | 380882 | WS YOKE 1 3/8-6 SPL | | |
| 2. | 365722 | WS DOUBLE YOKE | | |
| 3. | 020672 | WS GREASE ZERK | | |
| 4. | 341586 | WS INBOARD YOKE | | |
| 5. | 342221 | WS CROSS & BEARING KIT | | |
| 6. | 020617 | WS SPRING PIN 10 X 20 | | |
| 7. | 316201 | WS INNER PROFILE 1BGA | | |
| 8. | 383231 | WS PROFILE & SLEEVE | | |
| 9. | 019519 | WS INBOARD YOKE | | |
| 10. | 380907 | WS YOKE 1 3/8-6 SPL AS | | |
| 11. | 312410 | WS CROSS BEARING KIT | | |
| 12. | 087276 | WS BEARING RING - SC25 | | |
| 13. | 390186 | WS OUTER SHIELD TUBE OVL | | |
| 14. | 385954 | WS INNER SHIELD TUBE RND | | |
| 15. | 386083 | WS CV CONE & BEARING ASSY | | |
| 16. | 172758 | WS SHIELD CONE 3 RIB | | |
| 17. | 377336 | WS SHIELD CONE 6 RIB | | |
| 18. | 365305 | WS SCREW | | |
| 19. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 20. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 21. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 22. | 355155 | WS SUPPORT BEARING | | |
| 23. | 380371 | WS ZERK | | |
| 24. | 390404 | WS ASGE COLLAR KIT | | Rev. 2 |
| 24. | 381908 | RPBY 390404 | | Rev 1; Use up stock |

Driveline CV W/ Clutch (826-370C) Eurocardan

Applies to AFM4014 and AFM40168



Revision


Driveline CV W/ Clutch (826-370C) Eurocardan

| Ref. | Part No. | Part Description | Comments |
|------|----------|--------------------------------|-----------------------------|
| | dwg22023 | Drawing Image Number | |
| | 826-370C | PTO CV CAT.4 W/CLUTCH | |
| 1. | 1006865 | EC PULL COLLAR YOKE 1.38-6 | Pull collar yoke |
| 1. | 1006803 | RPBY 1006865 | Push-pin yoke |
| 2. | 1006830 | EC GO6 CROSS ASSEMBLY | |
| 3. | 1006831 | EC HOMOKINETIC JOINT | |
| 4. | 1006827 | EC OUTER TUBE HOMOKINETIC YOKE | |
| 5. | 6331080 | EC 10X80-DIN-1481 O/TUBE R/PIN | |
| 6. | 1548900 | EC OUTER TUBE | |
| 7. | 1546096 | EC INNER TUBE 960MM | |
| 8. | 6331070 | EC 10X70 ROLL PIN | |
| 9. | 1706029 | EC INNER TUBE YOKE | |
| 10. | 1006020 | EC CROSS ASSEMBLY | |
| 11. | 1466607 | EC CLUTCH BD4/6 1600Nm | EC Clutch w/pull collar |
| 11. | 1466305 | RPBY 1466607 | EC Clutch w/clamp yoke (BC4 |
| 12. | 9190601 | EC WIDE ANGLE PROTECTION | 1600Nm) |
| 13. | 1886802 | EC SOFT CONE | |
| 14. | 1786801 | EC BEARING SOFT CONE | |
| 15. | 6280313 | EC SELF THREADING SCREW | |
| 16. | 1786710 | EC TUBE BEARING (OUTER TUBE) | |
| 17. | 1215733 | EC STIFFENING RING | |
| 18. | 1885702 | EC SHORT CONE | |
| 19. | 1215735 | EC STOP RING | |
| 20. | 1885709 | EC SAFETY SLEEVE | |
| 21. | 1876902 | EC OUTER TUBE SHIELD | |
| 22. | 1877902 | EC INNER TUBE SHIELD | |
| 23. | 1786711 | EC TUBE BEARING (INNER TUBE) | |
| 24. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | |
| 25. | 818-552C | DECAL DANGER PTO DRIVELINE | |
| 26. | 818-540C | DECAL DANGER GUARD MISS PTO | |
| 27. | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | |
| 28. | 1004225 | EC PULL COLLAR KIT | |
| 28. | 1581036 | EC PUSH-PIN KIT CV YOKES 1 3/8 | |
| | | | |

Driveline Left & Right Hand Deck (826-145C) Eurocardan

Table of Contents

Applies to AFM4014 and AFM40168




Driveline Left & Right Hand Deck (826-145C) Eurocardan

| Ref | Part No. | Part Description | Comments | Revision |
|-----|----------|--------------------------------|----------|---------------------|
| | dwg26855 | Drawing Image Number | | |
| | 826-145C | PTO CAT. 3 X 27.95 W/O CLUTCH | | |
| 1. | 1014012 | EC YOKE ASSEMBLY | | Rev. 2 |
| 1. | 1014010 | REP BY 1014012 | | Rev. 1 |
| 2. | 1004020 | EC CROSS ASSEMBLY | | |
| 3. | 6330865 | EC 8X65-DIN-1481 O/TUBE R/PIN | | |
| 4. | 1704027 | EC OUTER TUBE YOKE | | |
| 5. | 1524057 | EC TER TUBE | | Rev. 2 |
| 5. | 1534320 | RPBY 1524057 | | Rev 1; Use up stock |
| 6. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 7. | 1784210 | EC TUBE BEARING | | Rev. 2 |
| 7. | 1783016 | RPBY 1784210 | | Rev 1; Use up stock |
| 8. | 1884201 | EC OUTER TUBE RIGID CONE | | Rev. 2 |
| 8. | 1883230 | RPBY 1884201 | | Rev 1; Use up stock |
| 9. | 1873049 | EC OUTER TUBE | | Rev. 2 |
| 9. | 1884346 | RPBY 1873049 | | Rev 1; Use up stock |
| 10. | 1884203 | EC SOFT CONE | | Rev. 2 |
| 10. | 1883013 | RPBY 1884203 | | Rev 1; Use up stock |
| 11. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 12. | 1872049 | EC INNER TUBE | | Rev. 2 |
| 12. | 1774333 | RPBY 1872049 | | Rev 1; Use up stock |
| 13. | 1884202 | EC INNER TUBE RIGID CONE | | Rev. 2 |
| 13. | 1883231 | RPBY 1884202 | | Rev 1; Use up stock |
| 14. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 15. | 1525057 | EC INNER TUBE | | Rev. 2 |
| 15. | 1534306 | RPBY 1525057 | | Rev 1; Use up stock |
| 16. | 1704029 | EC INNER TUBE YOKE | | |
| 17. | 1014012 | EC YOKE ASSEMBLY | | Rev. 2 |
| 17. | 1114010 | REP BY 1014012 | | Rev. 1 |
| 18. | 1884205 | EC SOFT LONG CONE | | Rev. 2 |
| 18. | 1883014 | RPBY 1884205 | | Rev 1; Use up stock |
| 19. | 1004225 | EC PULL COLLAR KIT | | |
| 20. | 1004225 | EC PULL COLLAR KIT | | |
| 21. | 1004220 | EC TWIST COLLAR KIT (TRT. END) | | |
| 22. | 1004224 | EC TWIST COLLAR KIT (IMP. END) | | |
| | | | | |

Driveline Left & Right Hand Deck (826-145C) Walterscheild

Applies to AFM4014 and AFM40168




Driveline Left & Right Hand Deck (826-145C) Walterscheild

| Ref. | Part No. | Part Description | Comments | Revision |
|------|--------------------------------|---|----------|---------------------|
| 1. | dwg14025 826-145C 196839 | Drawing Image Number PTO CAT. 3 X 27.95 W/O CLUTCH WS YOKE 1 3/8-6 SPL ASGE | | |
| 2. | 390404 | WS ASGE COLLAR KIT | | Rev. 2 |
| 2. | 381908 | RPBY 390404 | | Rev 1; Use up stock |
| 3. | 044444 | WS CROSS & BRG KIT | | • |
| 4. | 041576 | WS INBOARD YOKE | | |
| 5. | 020616 | WS SPRING PIN | | |
| 6. | 048950 | WS INNER PROFILE 1b | | |
| 7. | 377335 | WS SHIELD CONE - 5 RIB | | |
| 8. | 087276 | WS BEARING RING - SC25 | | |
| 9. | 390486 | WS OUTER SHIELD TUBE OVAL | | |
| 10. | 382694 | WS INNER SHIELD TUBE ROUND | | |
| 11. | 053968 | WS OUTER PROFILE 2a | | |
| 12. | 365305 | WS SCREW | | |
| 13. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 14. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 15. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 16. | 041577 | WS INBORD YOKE | | |

Driveline Left & Right Hand Deck (826-374C) Eurocardan

Applies to AFM4014 and AFM40168




Driveline Left & Right Hand Deck (826-374C) Eurocardan

| Ref | Part No. | Part Description | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
| | dwg22024 | Drawing Image Number | | |
| | 826-374C | PTO CAT.2 X 35 | | |
| 1. | 1014113 | EC YOKE ASSEMBLY | | |
| 2. | 1004020 | EC CROSS ASSEMBLY (U JOINT) | | |
| 3. | 1704027 | EC OUTER TUBE YOKE | | |
| 4. | 6330860 | EC 08X60 1485DIN ROLL PIN | | |
| 5. | 1524905 | EC OUTER TUBE | | |
| 6. | 1525057 | EC INNER TUBE (1525095) 570MM | | |
| 7. | 1704029 | EC INNER TUBE YOKE | | |
| 8. | 1014113 | EC YOKE ASSEMBLY | | |
| 9. | 6330855 | EC 8X55-DIN-1481 O/TUBE R/PIN | | |
| 10. | 1784210 | EC TUBE BEARING | | |
| 11. | 1884201 | EC OUTER TUBE RIGID CONE | | |
| 12. | 1213233 | EC STIFFENING RING | | |
| 13. | 1884203 | EC SOFT CONE | | |
| 14. | 1784212 | EC PIN STOP ROTATION | | |
| 15. | 1873905 | EC OUTER TUBE SHIELD | | |
| 16. | 1872905 | EC INNER TUBE SHIELD | | |
| 17. | 1884205 | EC SOFT LONG CONE | | |
| 18. | 1884202 | EC INNER TUBE RIGID CONE | | |
| 19. | 1784211 | EC TUBE BEARING | | |
| 20. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 21. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 22. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 23. | 6560006 | EC GREASE ZERK M6X1 STRAIGHT | | |
| 24. | 1004229 | EC PULL COLLAR REPLACEMENT KIT | | |
| | | | | |

Driveline Left & Right Hand Deck W/Clutch (826-144C) Walterscheid

Applies to AFM4014 and AFM40168




Driveline Left & Right Hand Deck W/Clutch (826-144C) Walterscheid

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|-------------------------------|---------------|-----------------------------|
| | dwg14028 | Drawing Image Number | | |
| | 826-144C | PTO 2200 X 27.95 W/CLUTCH | | |
| 1. | 390404 | WS ASGE COLLAR KIT | | |
| 2. | 196837 | WS ASGE YOKE 1 3/8-6 SPL. | | |
| 3. | 044439 | WALTSCHEID CROSS & BRG KIT | | |
| 4. | 041068 | WS INBOARD YOKE | | |
| 5. | 020614 | WS SPRING PIN | | |
| 6. | 052511 | WS INNER PROFILE | | |
| 7. | 377240 | WS SHIELD CONE-10RIB | | |
| 8. | 087279 | WS BEARING RING | | |
| 9. | 392044 | WS INNER SHIELD RND. | (S/N 259230+) | Rev. 2 not compat. w/Rev. 1 |
| 9. | 384954 | RPBY 392044 | (S/N 259229+) | Rev. 1 |
| 10. | 392043 | WS OUTER SHIELD OVL. | (S/N 259230+) | Rev. 2 not compat. w/Rev. 1 |
| 10. | 386488 | RPBY 392043 | (S/N 259229+) | Rev. 1 |
| 11. | 377234 | WS SHIELD CONE-4 RIB | | |
| 12. | 392042 | WS OUTER PROFILE 1L | (S/N 259230+) | Rev. 2 not compat. w/Rev. 1 |
| 12. | 086584 | RPBY 392042 | (S/N 259229+) | Rev. 1 |
| 13. | 041065 | WS INBOARD YOKE | | |
| 14. | 053314 | WS FRICTION CLUTCH | | |
| 15. | 365305 | WS SCREW | | |
| 16. | 044321 | DRIVELINE SHIELD SAFETY CHAIN | | |
| 17. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 18. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 19. | 380371 | WS ZERK | (S/N 259230+) | |
| 20. | 355154 | WS SUPPORT BEARING | (S/N 259230+) | |

Driveline Slip Clutch (053314) Walterscheid

Applies to AFM4014 and AFM40168




Driveline Slip Clutch (053314) Walterscheid

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|----------------------|--------------------------------|----------|
| | dwg10600 | Drawing Image Number | | |
| | 053314 | WS FRICTION CLUTCH | | |
| 1. | 304149 | WS SNAP RING | | |
| 2. | 338531 | WS FLANGED RING | | |
| 3. | 045790 | WS LOCK COLLAR | | |
| 4. | 045793 | WS COMPRESSION SPRNG | | |
| 5. | 047825 | WS BACK UP RING | | |
| 6. | 020692 | WS BALL | | |
| 7. | 381957 | WS HEX NUT M8 | | |
| 8. | 043489 | WS BELLEVILLE SPRING | To increase NM to 650 use 2 ea | |
| | | | 043487 | |
| 9. | 381495 | WS THRUST PLATE | | |
| 10. | 168556 | WS FRICTION DISK | | |
| 11. | 051551 | WS HUB 1 3/8-6 SPL | | |
| 12. | 041180 | WS CLUTCH HOUSING | | |
| 13. | 341953 | WS Q.D. FLG. KIT | | |

Driveline Slip Clutch (1466305) Eurocardan

Applies to AFM4014 and AFM40168



Driveline Slip Clutch (1466305) Eurocardan

Applies to AFM4014 and AFM40168


| Re£ | Part No. | Part Description |
|-----|----------|------------------------------|
| | dwg23887 | Drawing Image Number |
| | 1466305 | RPBY 1466607 |
| 1. | 6821279 | EC CONICAL CLAMP KIT (1 3/8) |
| 2. | 6041016 | EC SCREW |
| 3. | 1136007 | EC CLOSURE FLANGE |
| 4. | 1136008 | EC INT. FLANGE |
| 5. | 1806010 | EC FRICTION DISC |
| 6. | 1706065 | EC HUB WITH FLANGE (1 3/8-6) |
| 7. | 1136006 | EC INTERMEDIARY FLANGE |
| 8. | 1136010 | EC HUB DISC |
| 9. | 1136009 | EC SPRING FLANGE |
| 10. | 1216914 | EC SPRING KIT (R1300Nm) |
| 10. | 1216907 | RPBY 1216914 |
| 11. | 1705009 | EC CLUTCH BUSHING |
| 12. | 1466000 | EC OUTER BODY FOR BC |

Comments Revision

EC CLUTCH (CLAMP TYPE SPLINE END)

Driveline Slip Clutch (1466607) Eurocardan

Applies to AFM4014 and AFM40168




Driveline Slip Clutch (1466607) Eurocardan

| Re£ | Part No. | Part Description | Comments | Revision |
|-----|----------|---------------------------|----------|----------|
| | dwg23890 | Drawing Image Number | | |
| | 1466607 | EC CLUTCH BD4/6 1600Nm | | |
| 1. | 1466001 | EC OUTER BODY FOR BD4/6 | | |
| 2. | 1706085 | EC HUB WITH FLANGE 1.38-6 | | |
| 3. | 1004225 | EC PULL COLLAR KIT | | |
| 4. | 6040816 | EC SCREW M8 X 16 | | |
| 5. | 1134012 | EC CLOSURE FLANGE | | |
| 6. | 1216907 | EC SPRING KIT (V1600Nm) | | |
| 7. | 1134011 | EC PRESSURE FLANGE | | |
| 8. | 1806010 | EC FRICTION DISC | | |
| 9. | 1136008 | EC INT. FLANGE | | |
| 10. | 1136010 | EC HUB DISC | | |
| 11. | 1705009 | EC CLUTCH BUSHING | | |
| | | | | |

Belt Drive Center and Right Hand Deck (S/N 212180-)

Applies to AFM4014 and AFM40168




Belt Drive Center and Right Hand Deck (S/N 212180-)

| Ref. | Part No. | Part Description | Comments | Revision |
|----------------|--|--|---|-----------------------------|
| 1. 2. 3. | dwg13819 315-176S 802-281C 808-074C | Drawing Image Number CCW SPDLE HUB ASSY 5PULL 9.8TB HHCS 5/8-11X2 3/4 GR5 V-IDLER PULLEY 5 O.D. | Includes items 23 through 35 | |
| 4. | 315-169S | CCW SPDLE HUB ASSY 5"PULL 3"TB | Includes items 23 through 32, 34, 35 & 36 | |
| 5. 6. | 802-229C 808-073C | HHCS 7/16-20X1 1/2 GR8 FLAT IDLE PULLEY 6 1/4 O.D. | | |
| 7. 8. | 804-014C 803-115C | WASHER LOCK 7/16 PLT NUT HEX 7/16-20 PLT | | |
| 9. 9. | 890-377C 890-379C | MWR BLD 5/16 X20 29/32SD LLCCW MWR BLD 1/4 X20 29/32SD HL CCW | Standard Low Lift Blades 3 per Deck Optional High Lift Blades 3 per Deck | |
| 9. | 890-378C | MWR BLD 1/4 X20 29/32SD ML CCW | Optional Medium Lift Blades 3 per Deck | |
| 9. 10. | 890-703C 804-110C | MWR BLD MULCH 1/4X20.91SD CCW WASHER BLADE 2ODX.56THKX.51ID | Optional Mulch Blades 3 per Deck | |
| | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 12. | 803-119C | NUT LOCK 5/8-18 NYLOK COLLAR P | | |
| | 816-063C | V-BELT B144 146.9 E.L. KEVLAR | | |
| | 807-068C | SPRING EXT BELT HANDLE | | |
| | 802-567C | SP EYE 3/8-16X4 | (S/N 174815+) | Rev. 2 not compat. w/Rev. 1 |
| | 802-233C | SP EYE 1/4-20X2 3/4 | (S/N 174814-) | Rev. 1 |
| | 310-095H | SPRING EYE-BOLT BRACKET | (C/N 474045.) | Day O and commet w/Day 4 |
| | 803-014C | NUT HEX 3/8-16 PLT | (S/N 174815+) | Rev. 2 not compat. w/Rev. 1 |
| | 803-006C | NUT HEX 1/4-20 PLT | (S/N 174814-) | Rev. 1 |
| | 310-094H 315-249S | OVER-CENTER LATCH-90 40168 CCW BELT TAKE-UP HANDLE | | |
| | 315-563D | IDLER PULLEY SPACER-SHORT | | |
| | 800-099C | SNAP RING EXT 7/16 | | |
| | 802-447C | HFS 1/2-20X1 1/4 LH GR5 | | |
| | 802-696C | HFS 1/2-20X2 LH GR8 | | |
| | 804-110C | WASHER BLADE 20DX.56THKX.51ID | | |
| 24. | 315-494D | BLADE HUB C.C.W. | | |
| 25. | 315-493D | RPBY 310-352S | | |
| 26. | 822-006C | BEARING 206 | | |
| 27. | 310-224D | BLADE HUB- MACH90 | | |
| 28. | 808-075C | B-GROOVE PULLEY 5 O.D. | | |
| | 172-242D | 1/4 SQ. KEY X 7/8 LG | | |
| | 803-228C | NUT HEX 3/4-16LH NYLOC COLLAR | | |
| | 800-075C | ZERK 5/16-24 STRAIGHT #1711B | | |
| | 310-176D | 72 CENTER GREASE TUBE | | _ |
| | 804-093C | WASHER FLAT 3/4 HARD ASTMF436 | | Rev. 2 |
| | 804-025C | WASHER FLAT 3/4 SAE PLT | (0/11/470050) | Rev 1; Use up stock |
| | 822-161C | BEARING 6206 W/ METAL SHIELD | (S/N 176350+) | Rev. 2 |
| 34. 35. | 822-006C 310-312D | BEARING 206 LUBE FITTING 3" EXTENSION | (S/N 176349-) | Rev 1; Use up stock |

Belt Drive Center and Right Hand Deck (S/N 212181+)

Applies to AFM4014 and AFM40168




Belt Drive Center and Right Hand Deck (S/N 212181+)

| Ref. | Part No. | Part Description | Comments | Revision |
|------------|----------------------|---|---|-----------------------------|
| 4 | dwg18085 | Drawing Image Number | | |
| 1. 2. | 802-281C 808-074C | HHCS 5/8-11X2 3/4 GR5 V-IDLER PULLEY 5 O.D. | | |
| 3. | 315-377S | CCW SPINDLE HUB ASSEMBLY 5IN. | Includes items 24 through 33 | |
| 4. | 802-229C | HHCS 7/16-20X1 1/2 GR8 | molades items 24 through 55 | |
| 5. | 808-073C | FLAT IDLE PULLEY 6 1/4 O.D. | | |
| 6. | 804-014C | WASHER LOCK 7/16 PLT | | |
| 7. | 803-115C | NUT HEX 7/16-20 PLT | | |
| 8. | 890-377C | MWR BLD 5/16 X20 29/32SD LLCCW | Standard Low Lift Blades 3 per Deck | |
| 8. | 890-379C | MWR BLD 1/4 X20 29/32SD HL CCW | Optional High Lift Blades 3 per Deck | |
| 8. | 890-378C | MWR BLD 1/4 X20 29/32SD ML CCW | Optional Medium Lift Blades 3 per Deck | |
| 8. | 890-703C | MWR BLD MULCH 1/4X20.91SD CCW | Optional Mulch Blades 3 per Deck | |
| 9. | 804-110C | WASHER BLADE 20DX.56THKX.51ID | | |
| 10. | 802-696C | HFS 1/2-20X2 LH GR8 | (S/N 329661+) | Rev. 2 not compat. w/Rev. 1 |
| 10. | 802-447C | HFS 1/2-20X1 1/4 LH GR5 | (S/N 329660-) | Rev. 1 |
| 11. | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 12. | 803-119C | NUT LOCK 5/8-18 NYLOK COLLAR P | | |
| 13. | 816-063C | V-BELT B144 146.9 E.L. KEVLAR | | |
| 14. | 807-068C | SPRING EXT BELT HANDLE | | |
| 15. | | SP EYE 3/8-16X4 | | |
| 16. | 310-095H | SPRING EYE-BOLT BRACKET | | |
| 17. | 803-014C | NUT HEX 3/8-16 PLT | | |
| 18. | 310-094H | OVER-CENTER LATCH-90 | | |
| 19. | | 40168 CCW BELT TAKE-UP HANDLE | | |
| 20. | 315-563D | IDLER PULLEY SPACER-SHORT | | |
| 21. | | SNAP RING EXT 7/16 | (0/1/000000) | 5 5 |
| 22. | 800-130C | GREASE ZERK STRAIGHT 1/8-27NPT | (S/N 239258+) | Rev. 2 not compat. w/Rev. 1 |
| 22. | 800-193C | GREASE ZERK 1/8NPT 45-DEG | (S/N 239257-) | Rev. 1 |
| 23. | 990-109R | TUBE NYLON 1/4OD X 062WL | Order Per Foot as Required | |
| 24. | 800-157C | FTG TUBE, CONNECTOR 1/8 MNPT | | |
| 25. | 803-228C | NUT HEX 3/4-16LH NYLOC COLLAR | | |
| 26. | 172-242D | 1/4 SQ. KEY X 7/8 LG | | |
| 27. 28. | 804-093C | WASHER FLAT 3/4 HARD ASTMF436 | | |
| | 808-075C 822-161C | B-GROOVE PULLEY 5 O.D. BEARING 6206 W/ METAL SHIELD | | |
| 30. | 310-224D | BLADE HUB - MACH | | |
| 31. | | BLADE SPINDLE SHAFT CCW | (S/N 329661+) | Rev. 2 not compat. w/Rev. 1 |
| 31. | 315-493D | RPBY 310-352S | (S/N 329660-) | Rev. 1 |
| - | 822-006C | BEARING 206 | (0/14 020000-) | 100. 1 |
| 33. | | BLADE HUB C.C.W. | | |
| 34. | 890-266C | HALF-CLIP 5/16 DIA. HOSE | (S/N 239258+) | |
| - | 801-032C | SCREW HEX SELF-TAP 1/4-20X 1/2 | (S/N 239258+) | |
| ٠٠. | 55. 00 20 | 55 | (5 255255.) | |

Belt Drive Left Hand Deck (S/N 212180-)

Applies to AFM4014 and AFM40168




Belt Drive Left Hand Deck (S/N 212180-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---|-----------------------------|
| | dwg13818 | Drawing Image Number | | |
| 1. | 310-132S | CW SPDLE HUB ASSY 5"PULL 3"TB | Includes items 24 through 36 | |
| 2. | 802-229C | HHCS 7/16-20X1 1/2 GR8 | landades Herre 22 than and 22 24 25 | |
| 3. | 310-139S | CW SPDLE HUB ASSY 5"PULL 9.8TB | Includes items 23 through 32, 34, 35 & 36 | |
| 4. | 803-014C | NUT HEX 3/8-16 PLT | (S/N 174815+) | Rev. 2 not compat. w/Rev. 1 |
| 4. | 803-006C | NUT HEX 1/4-20 PLT | (S/N 174814-) | Rev. 1 |
| 5. | 800-099C | SNAP RING EXT 7/16 | | |
| 6. | 310-094H | OVER-CENTER LATCH-90 | | |
| 7. | 310-095H | SPRING EYE-BOLT BRACKET | | |
| 8. | 802-567C | SP EYE 3/8-16X4 | (S/N 174815+) | Rev. 2 not compat. w/Rev. 1 |
| 8. | 802-233C | SP EYE 1/4-20X2 3/4 | (S/N 174814-) | Rev. 1 |
| 9. | 807-068C | SPRING EXT BELT HANDLE | | |
| 10. | 804-014C | WASHER LOCK 7/16 PLT | | |
| 11. | 803-115C | NUT HEX 7/16-20 PLT | | |
| 12. | 890-204C | MWR BLD 5/16X20 29/32SD LL CW | Standard Low Lift Blades 3 per Deck | |
| 12. | 890-171C | MWR BLD 1/4 X 20 29/32SD HL CW | Optional High Lift Blades 3 per Deck | |
| 12. | 890-375C | MWR BLD 1/4 X 20 29/32SD ML CW | Optional Medium Lift Blades 3 per Deck | |
| 12. | 890-702C | MWR BLD MULCH 1/4X20.91SD CW | Optional Mulch Blades 3 per Deck | |
| 13. | 804-110C | WASHER BLADE 20DX.56THKX.51ID | · | |
| 14. | 816-063C | V-BELT B144 146.9 E.L. KEVLAR | | |
| 15. | 803-119C | NUT LOCK 5/8-18 NYLOK COLLAR P | | |
| 16. | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 17. | 802-281C | HHCS 5/8-11X2 3/4 GR5 | | |
| 18. | 808-073C | FLAT IDLE PULLEY 6 1/4 O.D. | | |
| 19. | 315-563D | IDLER PULLEY SPACER-SHORT | | |
| 20. | 808-074C | V-IDLER PULLEY 5 O.D. | | |
| 21. | 315-248S | 40168 CW BELT TAKE-UP HANDLE | | |
| 22. | 802-384C | HFS 1/2-20X1 1/4 GR5 | | |
| 22. | 802-695C | HFS 1/2-20X2 GR8 | | |
| 23. | 804-110C | WASHER BLADE 20DX.56THKX.51ID | | |
| 24. | 310-300D | BLADE HUB | | |
| 25. | 310-361D | REP BY 310-348S | | |
| 26. | 822-006C | BEARING 206 | | |
| 27. | 310-224D | BLADE HUB- MACH90 | | |
| 28. | 808-075C | B-GROOVE PULLEY 5 O.D. | | |
| 29. | 172-242D | 1/4 SQ. KEY X 7/8 LG | | |
| 30. | 803-114C | NUT LOCK 3/4-16 NYLOC COLLAR | | |
| 31. | 800-075C | ZERK 5/16-24 STRAIGHT #1711B | | |
| 32. | 310-312D | LUBE FITTING 3" EXTENSION | | |
| 33. | 804-093C | WASHER FLAT 3/4 HARD ASTMF436 | | Rev. 2 |
| 33. | 804-025C | WASHER FLAT 3/4 SAE PLT | | Rev 1; Use up stock |
| 34. | 822-161C | BEARING 6206 W/ METAL SHIELD | (S/N 176350+) | Rev. 2 |
| 34. | 822-006C | BEARING 206 | (S/N 176349-) | Rev 1; Use up stock |
| 35. | 310-176D | 72 CENTER GREASE TUBE | | |

Belt Drive Left Hand Deck (S/N 212181+)

Applies to AFM4014 and AFM40168




Belt Drive Left Hand Deck (S/N 212181+)

| Ref. | Part No. | Part Description | Comments | Revision |
|--|--|--|---|-----------------------------|
| 1. 2. 3. 4. 5. 6. 7. | dwg18084 315-375S 802-229C 803-014C 800-099C 310-094H 310-095H 802-567C 807-068C | Drawing Image Number CW SPINDLE HUB ASSEMBLY 5IN. HHCS 7/16-20X1 1/2 GR8 NUT HEX 3/8-16 PLT SNAP RING EXT 7/16 OVER-CENTER LATCH-90 SPRING EYE-BOLT BRACKET SP EYE 3/8-16X4 SPRING EXT BELT HANDLE | Includes items 24 through 32 | |
| 9. | 804-014C | WASHER LOCK 7/16 PLT | | |
| 10. | 803-115C | NUT HEX 7/16-20 PLT | | |
| 11. | 890-204C | MWR BLD 5/16X20 29/32SD LL CW | Standard Low Lift Blades 3 per Deck | |
| 11. | 890-171C | MWR BLD 1/4 X 20 29/32SD HL CW | Optional High Lift Blades 3 per Deck | |
| 11. | 890-375C | MWR BLD 1/4 X 20 29/32SD ML CW | Optional Medium Lift Blades 3 per Deck | |
| 11. | 890-702C | MWR BLD MULCH 1/4X20.91SD CW | Optional Mulch Blades 3 per Deck | |
| 12. | 804-110C | WASHER BLADE 20DX.56THKX.51ID | | |
| 13. | 802-695C | HFS 1/2-20X2 GR8 | (S/N 329661+) | Rev. 2 not compat. w/Rev. 1 |
| 13. | 802-384C | HFS 1/2-20X1 1/4 GR5 | (S/N 329660-) | Rev. 1 |
| 14. | 816-063C | V-BELT B144 146.9 E.L. KEVLAR | | |
| 15. | | NUT LOCK 5/8-18 NYLOK COLLAR P | | |
| 16. | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 17. | 802-281C | HHCS 5/8-11X2 3/4 GR5 | | |
| 18. | | FLAT IDLE PULLEY 6 1/4 O.D. | | |
| 19. | | IDLER PULLEY SPACER-SHORT | | |
| 20. | 808-074C | V-IDLER PULLEY 5 O.D. | | |
| 21. | | 40168 CW BELT TAKE-UP HANDLE | (O/NL000050 c) | Day O and annual w/Day 4 |
| 22. | 800-130C | GREASE ZERK STRAIGHT 1/8-27NPT | (S/N 239258+) | Rev. 2 not compat. w/Rev. 1 |
| 22. 23. | 800-193C | GREASE ZERK 1/8NPT 45-DEG | (S/N 239257-) | Rev. 1 |
| 23. 24. | 990-109R 800-157C | TUBE NYLON 1/4OD X 062WL FTG TUBE,CONNECTOR 1/8 MNPT | Order Per Foot as Required | |
| 2 4 . 25. | 803-114C | NUT LOCK 3/4-16 NYLOC COLLAR | | |
| _ | 172-242D | 1/4 SQ. KEY X 7/8 LG | | |
| 27. | 804-093C | WASHER FLAT 3/4 HARD ASTMF436 | | |
| 28. | 808-075C | B-GROOVE PULLEY 5 O.D. | | |
| | 822-161C | BEARING 6206 W/ METAL SHIELD | | |
| 30. | 310-224D | BLADE HUB - MACH | | |
| 31. | | SPDL 310-637D CW W/BOLT | Includes item 13 | |
| 31. | | REP BY 310-348S | | |
| 32. | 822-006C | BEARING 206 | | |
| 33. | 890-266C | HALF-CLIP 5/16 DIA. HOSE | (S/N 239258+) | |
| 34. | 801-032C | SCREW HEX SELF-TAP 1/4-20X 1/2 | (S/N 239258+) | |
| 35. | 310-300D | BLADE HUB - 7/8 (PLATED) | | |

Belt Take-Up Handle

Applies to AFM4014 and AFM40168




Belt Take-Up Handle

| Re£ | Part No. | Part Description | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
| | dwg14023 | Drawing Image Number | | |
| 1. | 803-022C | NUT HEX 5/8-18 PLT | | |
| 2. | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 3. | 808-073C | FLAT IDLE PULLEY 6 1/4 O.D. | | |
| 4. | 315-103H | CW BELT TAKE-UP HANDLE | | |
| 4. | 315-199H | CCW BELT TAKE-UP HANDLE | | |
| 5. | 802-239C | HHCS 5/8-18X2 1/2 GR5 | | |
| 6. | 817-028C | DOUBLE DISK ARM PIVOT BUSHINGS | | |
| 7. | 315-248S | 40168 CW BELT TAKE-UP HANDLE | | |
| 7. | 315-249S | 40168 CCW BELT TAKE-UP HANDLE | | |
| | | | | |

Channel Center Deck

Applies to AFM4014 and AFM40168




Section 4: Decks **Channel Center Deck**

| Ref. | Part No. | Part Description | Comments | Revision |
|----------------------|--|---|------------------------------|-----------------------------|
| 1. 1. 1. 1. | dwg16534 826-327C 826-327C81 826-327C82 826-327C83 826-327C84 | Drawing Image Number GBOX MOWER 50 HP 1:2.8 CCW GBOX MOWER 50 HP 1:2.8 CCW GREEN GBOX MOWER 50 HP 1:2.8 CCW ORANGE GBOX MOWER 50 HP 1:2.8 CCW RED GBOX MOWER 50 HP 1:2.8 CCW BLUE | (S/N 368118+) | Rev. 4 |
| 1. | 826-295C | RPBY 826-327C | (S/N 211887 to 368117) | Rev. 3 |
| 1. | 826-205C | REP BY 826-295C | (S/N 211887 to 368117) | Rev. 2 |
| 1. | 826-122C | RPBY 826-205C | (S/N 211886-)) | Rev. 1 |
| 2. | 817-050C | GEARBOX SHAFT PROTECTOR | (S/N 220346-) | |
| 3. | 310-331D | KEY 1/4" X 11/16" LONG | | |
| 4. | 310-041D | GEAR BOX SPACER | (S/N 211744-) | |
| 5. | 808-335C | B-GROOVE PULLEY 11" CAST-IRON | (S/N 355464+) | Rev. 2 |
| 5. | 808-126C | B-GROOVE DRIVE PULLEY 11 O.D. | (S/N 355464-) | Rev 1; Use up stock |
| 6. - | 804-029C | WASHER FLAT 1 SAE PLT | | |
| 7. 7. | 11-007 | ITG 1"-14 SLOTTED HEX NUT NUT M 24 X 2 | | |
| 7. 8. | 8.2.2.01144 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | | |
| 9. | 807-176C | SMV MOUNT BAR SPRING STEEL | | Rev. 2 |
| 9. | 315-478D | SMV MOUNT BAR | | Rev 1; Use up stock |
| - | 818-055C | DECAL SLOW MOVING-GALV. BACKED | | rtor i, oco ap otocic |
| 11. | 803-293C | NUT HEX FLANGE LOCK 1/4-20 PLT | | Rev. 2 |
| 11. | 803-005C | NUT SQ 1/4-20 PLT | | Rev 1; Use up stock |
| 12. | 804-006C | WASHER LOCK SPRING 1/4 PLT | Not required with lock nut | |
| 13. | 801-018C | SCREW RD HD 1/4-20 X 5/8 | | |
| 14. | 315-037V | SMV PACKAGE | Includes items 10 through 14 | |
| | 802-203C | HFSS 1/2-13X1 1/2 GR5 | (S/N 286810+) | Rev. 2 not compat. w/Rev. 1 |
| | 802-091C | HHCS 1/2-13X1 1/2 GR5 | (S/N 286809-) | Rev. 1 |
| | 804-016C | WASHER FLAT 1/2 SAE PLT | (S/N 286809-) | |
| | 804-015C | WASHER LOCK SPRING 1/2 PLT | (S/N 286809-) | |
| 18. | 803-037C | NUT HEX WHIZ 1/2-13 PLT | (S/N 286810+) | Rev. 2 not compat. w/Rev. 1 |
| 18. 19. | 803-020C | NUT HEX 1/2-13 PLT WASHER LOCK SPRING 5/8 PLT | (S/N 286809-) | Rev. 1 |
| - | 804-022C 803-022C | NUT HEX 5/8-18 PLT | | |
| 21. | 804-021C | WASHER FLAT 5/8 SAE PLT | | |
| 22. | 802-246C | HHCS 5/8-18X1 3/4 GR5 | | |
| 23. | 315-280H | 168 CEN. GEAR BOX CHANNEL | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 23. | 315-280H81 | 168 CEN. GEAR BOX CHANNEL GREEN | (2, | |
| 23. | 315-280H82 | 168 CEN. GEAR BOX CHANNEL ORANGE | | |
| 23. | 315-280H83 | 168 CEN. GEAR BOX CHANNEL RED | | |
| 23. | 315-280H84 | 168 CEN. GEAR BOX CHANNEL BLUE | | |
| 23. | 315-239H | 40168 CEN. G.B. CHANNEL WELD | (S/N 176349-) | Rev. 1 |
| 24. | 315-562D | GEAR BOX CHANNEL SPACER | | |
| 25. | 802-100C | HHCS 5/8-11X4 1/2 GR5 | | |
| 26. | 802-005C | HHCS 1/4-20X1 GR5 | | |

Channel Left Hand Deck

Applies to AFM4014 and AFM40168



Channel Left Hand Deck

| Ref. | Part No. | Part Description | Comments | Revision |
|------------|----------------------|--|------------------------|-----------------------------|
| | dwg16535 | Drawing Image Number | | |
| 1. | 817-050C | GEARBOX SHAFT PROTECTOR | (S/N 220346-) | |
| 2. | 826-326C | GBOX MOWER 50 HP 1:2.8 CW | (S/N 368118+) | Rev. 4 |
| 2. | 826-326C81 | GBOX MOWER 50 HP 1:2.8 CW GREEN | | |
| 2. | 826-326C82 | GBOX MOWER 50 HP 1:2.8 CW ORANGE | | |
| 2. | 826-326C83 | GBOX MOWER 50 HP 1:2.8 CW RED | | |
| 2. | 826-326C84 | GBOX MOWER 50 HP 1:2.8 CW BLUE | | |
| 2. | 826-296C | REP BY 826-326C | (S/N 211887 to 368117) | Rev. 3 |
| 2. | 826-206C | REP BY 826-296C | (S/N 211887 to 368117) | Rev. 2 |
| 2. | 826-121C | RPBY 826-206C | (S/N 211886-) | Rev. 1 |
| 3. | 310-331D | KEY 1/4" X 11/16" LONG | | |
| 4. | 310-041D | GEAR BOX SPACER | (S/N 211744-) | |
| 5. | 808-335C | B-GROOVE PULLEY 11" CAST-IRON | (S/N 355464+) | Rev. 2 |
| 5. | 808-126C | B-GROOVE DRIVE PULLEY 11 O.D. | (S/N 355464-) | Rev 1; Use up stock |
| 6. | 804-029C | WASHER FLAT 1 SAE PLT | | |
| 7. | 11-007 | ITG 1"-14 SLOTTED HEX NUT | | |
| 7. | 8.2.2.01144 | NUT M 24 X 2 | | |
| 8. | 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | | |
| 9. | 315-566D | 40200 FLEX ARM PIVOT PIN | | |
| 10. | 803-038C | NUT HEX 1-8 NYLON INSERT PLT | | |
| 11. | 315-562D | GEAR BOX CHANNEL SPACER | (0.41.000010.) | |
| | 802-203C | HFSS 1/2-13X1 1/2 GR5 | (S/N 286810+) | Rev. 2 not compat. w/Rev. 1 |
| | 802-091C | HHCS 1/2-13X1 1/2 GR5 | (S/N 286809-) | Rev. 1 |
| | 804-016C | WASHER FLAT 1/2 SAE PLT | (S/N 286809-) | |
| | 804-015C | WASHER LOCK SPRING 1/2 PLT | (S/N 286809-) | D 0 1 1 1 1 1 1 1 |
| | 803-037C | NUT HEX WHIZ 1/2-13 PLT | (C/N 200000) | Rev. 2 not compat. w/Rev. 1 |
| | 803-020C | NUT HEX 1/2-13 PLT | (S/N 286809-) | Rev. 1 |
| | 802-345C | HHCS 1-8X3 GR8 | | |
| | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 10. 19. | 803-022C 315-234H | NUT HEX 5/8-18 PLT 40168 WING DECK FLEX ARM | | |
| 19. | | 40168 WING DECK FLEX ARM GREEN | | |
| 19. | | 40168 WING DECK FLEX ARM GREEN 40168 WING DECK FLEX ARM ORANGE | | |
| 19. | | 40168 WING DECK FLEX ARM RED | | |
| _ | 315-234H84 | 40168 WING DECK FLEX ARM BLUE | | |
| | 890-122C | BUSHING 1 1/2 X 1 1/4 X 1 1/2 | | |
| | 803-007C | NUT LOCK 1/4-20 PLT | | |
| 22. | 802-097C | HHCS 1/4-20X2 1/2 GR5 | | Rev. 2 |
| 22. | 802-152C | HHCS 1/4-20X2 GR5 | | Rev 1; Use up stock |
| 23. | 802-246C | HHCS 5/8-18X1 3/4 GR5 | | rev 1, ose up stook |
| 24. | 315-279H | 168 WING GEAR BOX CHANNEL | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 24. | 315-279H81 | 168 WING GEAR BOX CHANNEL GREEN | (6/11/1/00001) | rton 2 not compan writer i |
| 24. | 315-279H82 | 168 WING GEAR BOX CHANNEL ORANGE | | |
| 24. | 315-279H83 | 168 WING GEAR BOX CHANNEL RED | | |
| 24. | 315-279H84 | 168 WING GEAR BOX CHANNEL BLUE | | |
| 24. | 315-238H | 40168 WING G.B. CHANNEL WELD | (S/N 176349-) | Rev. 1 |
| 25. | 804-021C | WASHER FLAT 5/8 SAE PLT | (2) | ·· · |
| 26. | 802-100C | HHCS 5/8-11X4 1/2 GR5 | | |
| 27. | | GREASE ZERK 1/4-28 THD FORMING | | |
| | | | | |

Channel Right Hand Deck

Applies to AFM4014 and AFM40168





Table of Contents Part Number Index

Channel Right Hand Deck

| Ref. | Part No. | Part Description | Comments | Revision |
|------------|----------------------|---|---|-----------------------------|
| 1. | dwg16536 826-327C | Drawing Image Number GBOX MOWER 50 HP 1:2.8 CCW | (S/N 368118+) | Rev. 4 |
| 1. | 826-327C81 | GBOX MOWER 50 HP 1:2.8 CCW GREEN | (====================================== | |
| 1. | 826-327C82 | GBOX MOWER 50 HP 1:2.8 CCW ORANGE | | |
| 1. | 826-327C83 | GBOX MOWER 50 HP 1:2.8 CCW RED | | |
| 1. | 826-327C84 | GBOX MOWER 50 HP 1:2.8 CCW BLUE | | |
| 1. | 826-295C | RPBY 826-327C | (S/N 211887 to 368117) | Rev. 3 |
| 1. | 826-205C | REP BY 826-295C | (S/N 211887 to 368117) | Rev. 2 |
| 1. | 826-122C | RPBY 826-205C | (S/N 211886-) | Rev. 1 |
| 2. | 817-050C | GEARBOX SHAFT PROTECTOR | (S/N 220346-) | |
| 3. | 310-331D | KEY 1/4" X 11/16" LONG | | |
| 4. | 310-041D | GEAR BOX SPACER | (S/N 211744-) | |
| 5. | 808-335C | B-GROOVE PULLEY 11" CAST-IRON | | Rev. 2 |
| 5. | 808-126C | B-GROOVE DRIVE PULLEY 11 O.D. | | Rev 1; Use up stock |
| 6. | 804-029C | WASHER FLAT 1 SAE PLT | | |
| 7. | 11-007 | ITG 1"-14 SLOTTED HEX NUT | | |
| 7. | 8.2.2.01144 | NUT M 24 X 2 | | |
| 8. | 805-017C | PIN COTTER 3/16 X 1 3/4 PLT | | D 0 |
| 9. | 802-097C | HHCS 1/4-20X2 1/2 GR5 | | Rev. 2 |
| 9. | 802-152C | HHCS 1/4-20X2 GR5 | | Rev 1; Use up stock |
| 10. | 803-007C | NUT LOCK 1/4-20 PLT | | |
| 11. | 803-038C | NUT HEX 1-8 NYLON INSERT PLT | | |
| 12. 13. | 315-562D 890-122C | GEAR BOX CHANNEL SPACER BUSHING 1 1/2 X 1 1/4 X 1 1/2 | | |
| 13. 14. | 802-203C | HFSS 1/2-13X1 1/2 GR5 | (S/N 286810+) | Rev. 2 not compat. w/Rev. 1 |
| 14. | 802-203C 802-091C | HHCS 1/2-13X1 1/2 GR5 | (S/N 286809-) | Rev. 1 |
| | 804-016C | WASHER FLAT 1/2 SAE PLT | (S/N 286809-) | NOV. 1 |
| | 804-015C | WASHER LOCK SPRING 1/2 PLT | (S/N 286809-) | |
| | 803-037C | NUT HEX WHIZ 1/2-13 PLT | (S/N 286810+) | Rev. 2 not compat. w/Rev. 1 |
| 17. | 803-020C | NUT HEX 1/2-13 PLT | (S/N 286809-) | Rev. 1 |
| 18. | 802-345C | HHCS 1-8X3 GR8 | (======, | |
| 19. | 804-022C | WASHER LOCK SPRING 5/8 PLT | | |
| 20. | 803-022C | NUT HEX 5/8-18 PLT | | |
| 21. | 802-246C | HHCS 5/8-18X1 3/4 GR5 | | |
| 22. | 315-566D | 40200 FLEX ARM PIVOT PIN | | |
| 23. | 315-234H | 40168 WING DECK FLEX ARM | | |
| 23. | 315-234H81 | 40168 WING DECK FLEX ARM GREEN | | |
| 23. | 315-234H82 | 40168 WING DECK FLEX ARM ORANGE | | |
| 23. | 315-234H83 | 40168 WING DECK FLEX ARM RED | | |
| 23. | 315-234H84 | 40168 WING DECK FLEX ARM BLUE | | |
| | 315-279H | 168 WING GEAR BOX CHANNEL | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 24. | 315-279H81 | 168 WING GEAR BOX CHANNEL GREEN | | |
| 24. | 315-279H82 | 168 WING GEAR BOX CHANNEL ORANGE | | |
| 24. | 315-279H83 | 168 WING GEAR BOX CHANNEL RED | | |
| 24. | 315-279H84 | 168 WING GEAR BOX CHANNEL BLUE | (0/NL470040.) | David. |
| 24. | 315-238H | 40168 WING G.B. CHANNEL WELD | (S/N 176349-) | Rev. 1 |
| 25. | 802-100C | HHCS 5/8-11X4 1/2 GR5 | | |
| 26. 27 | 804-021C | WASHER FLAT 5/8 SAE PLT | | |
| 27. | 800-080C | GREASE ZERK 1/4-28 THD FORMING | | |

Deck and Roller

Applies to AFM4014 and AFM40168




Deck and Roller

| Ref. | Part No. | Part Description | Comments | Revision |
|----------|------------------------|---|-----------------|-------------------------------|
| | dwg13822 | Drawing Image Number | | |
| 1. | 315-619D | 40168 BELT GUARD | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 2. | 310-280D | BELT COVER-1560 | (S/N 176349-) | Rev. 1 |
| 3. | 817-259C | KNOB 3/8-16 FEMALE THD 2 3/8OD | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 4. | 817-192C | KNOB 3 PRONG 1/4-20 X 1/2 LG | (S/N 176349-) | Rev. 1 |
| 5. | 800-163C | CLIP U-TYPE NUT 1/4-20 SLF-RET | (S/N 176349-) | |
| 6. | 803-019C | NUT LOCK 1/2-13 PLT | | |
| 7. | 817-195C | ROLLER ANTI-SCALP 2 OD | | |
| 8. | 802-041C | HHCS 1/2-13X3 1/2 GR5 | (C/N 470250.) | Day 2 and compative/Day 4 |
| 9. | 315-283H 315-283H81 | 168 CEN. R.H. DECK WELD 168 CEN. R.H. DECK WELD GREEN | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 9. 9. | 315-283H82 | 168 CEN. R.H. DECK WELD GREEN 168 CEN. R.H. DECK WELD ORANGE | | |
| 9. | 315-283H83 | 168 CEN. R.H. DECK WELD GRANGE | | |
| 9. 9. | 315-283H84 | 168 CEN. R.H. DECK WELD RED | | |
| 9. | 315-203H04 315-228H | AFM40168 RH-CEN DECK WELD | (S/N 176349-) | Rev. 1 |
| 9. | 315-284H | 168 L.H. DECK WELD | (S/N 176350+) | Rev. 2 not compat. w/Rev. 1 |
| 9. | 315-284H81 | 168 L.H. DECK WELD GREEN | (6/14 17 66661) | rtev. 2 not compat. w/rtev. 1 |
| 9. | 315-284H82 | 168 L.H. DECK WELD ORANGE | | |
| 9. | 315-284H83 | 168 L.H. DECK WELD RED | | |
| 9. | 315-284H84 | 168 L.H. DECK WELD BLUE | | |
| 9. | 315-229H | AFM40168 L. H. DECK WELD | (S/N 176349-) | Rev. 1 |
| 10. | 315-133H | FRONT ROLLER BRKT L.H. | (S/N 176001+) | Rev. 2 |
| 10. | 310-319H | LOW LH FRONT ROLLER WELDMENT | (S/N 176000-) | Rev 1; Use up stock |
| 11. | 817-082C | 4 X 5 1/2 FRONT ROLLER | | Rev. 2 |
| 12. | 804-013C | WASHER LOCK SPRING 3/8 PLT | | Rev 1; Use up stock |
| 13. | 803-014C | NUT HEX 3/8-16 PLT | | |
| 14. | 315-409D | FRONT ROLLER MOUNT-R.H. | (S/N 176001+) | |
| 14. | 310-533D | LOW FRONT ROLLER RH BRACKET | (S/N 176000-) | |
| 15. | 803-114C | NUT LOCK 3/4-16 NYLOC COLLAR | | |
| 16. | 802-017C | HHCS 3/8-16X1 GR5 | | |
| 17. | 803-231C | NUT WING 3/8-16 PLT | | |

Gauge Wheel Center Deck (S/N 231294-)

Applies to AFM4014 and AFM40168



Gauge Wheel Center Deck (S/N 231294-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|------------------------------|----------|
| | dwg13824 | Drawing Image Number | | |
| 1. | 315-484D | CEN DECK CARRIER ROD | | |
| 2. | 805-161C | PIN ROLL 3/8 X 1 3/4 LG PLT | | |
| 3. | 806-023C | U-BOLT 1/2-13 X 2 1/32 X 3 1/4 | | |
| 4. | 315-233H | 40168 CEN DECK CARRIER L.H. | | |
| 5. | 315-232H | 40168 CEN DECK CARRIER R.H. | | |
| 6. | 890-202C | GAUGE WHEEL SFT PIVOT BUSHING | | |
| 7. | 310-100S | 90" G W YOKE SUB ASSY | Includes items 18 through 28 | |
| 8. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | | |
| 9. | 315-240H | 40168 CENTER DECK CARRIER | | |
| 10. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 11. | 803-020C | NUT HEX 1/2-13 PLT | | |
| 12. | 827-001C | SPACER 1/2" | | |
| 13. | 817-152C | GW SNAP ON SPACER - 1" THICK | | |
| 14. | 817-151C | GW SNAP ON SPACER - 1/4" THICK | | |
| 15. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 16. | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| 17. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | | |
| 18. | 310-359D | GW SPACER 1/4" | | |
| 19. | 310-252D | G.W. SPACER 1/2" | | |
| 20. | 310-251D | G.W. SPACER 1" | | |
| 21. | 805-126C | PIN LYNCH 1/4 X 1 3/4 PLT | | |
| 22. | 310-090H | 90 GAUGE WHEEL YOKE | | |
| 23. | 802-305C | HHCS 1/2-20X8 GR5 | | |
| 24. | 803-018C | NUT HEX 1/2-20 PLT | | |
| 25. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 26. | 310-249D | RPBY 827-056C | | |
| 27. | 310-250D | SPACER TUBE-SH. G.W. | | |
| 28. | 814-070C | REP BY 814-114C | | |
| 28. | 814-193C | TIRE 13X5.00-6 (LITE FOAM) RIB | Option | |

Gauge Wheel Center Deck (S/N 231295+)

Applies to AFM4014 and AFM40168





Table of Contents Part Number Index

Gauge Wheel Center Deck (S/N 231295+)

| Ref | Part No. | Part Description | Comments | Revision |
|-----|------------|---|------------------------------|-----------------------------|
| | dwg16903 | Drawing Image Number | | |
| 1. | 315-237D | AFM4014/16 CARRIER ROD 1 1/2OD | (S/N 242927+) | Rev. 2 not compat. w/Rev. 1 |
| 1. | 315-484D | CEN DECK CARRIER ROD | (S/N 242926-) | Rev. 1 |
| 2. | 805-255C | PIN ROLL 3/8 X 2 1/2 PLT | (S/N 242927+) | Rev. 2 not compat. w/Rev. 1 |
| 2. | 805-161C | PIN ROLL 3/8 X 1 3/4 LG PLT | (S/N 242926-) | Rev. 1 |
| 3. | 827-001C | SPACER 1/2 | (S/N 242926-) | |
| 4. | 817-152C | GW SNAP ON SPACER - 1 THICK | (S/N 242926-) | |
| 5. | 817-151C | GW SNAP ON SPACER - 1/4 THICK | (S/N 242926-) | |
| 6. | 315-422H | AFM4014 CENTER DECK CARRIER | (S/N 242927+) | Rev. 2 not compat. w/Rev. 1 |
| 6. | 315-422H81 | AFM4014 CENTER DECK CARRIER GREEN | | |
| 6. | 315-422H82 | AFM4014 CENTER DECK CARRIER ORANGE | | |
| 6. | 315-422H83 | AFM4014 CENTER DECK CARRIER RED | | |
| 6. | 315-422H84 | AFM4014 CENTER DECK CARRIER BLUE | | |
| 6. | 315-416H | AFM4014 CENTER DECK ARM WLDMNT | (S/N 242926-) | Rev. 1 |
| 7. | 890-202C | GAUGE WHEEL SFT PIVOT BUSHING | | |
| 8. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 9. | 315-418S | CENTER DECK CARRIER W/BUSH 14 | Includes items 6, 7 & 8 | |
| 9. | 315-418S81 | CENTER DECK CARRIER W/BUSH 14 GREEN | | |
| 9. | 315-418S82 | CENTER DECK CARRIER W/BUSH 14 ORANGE | | |
| 9. | 315-418S83 | CENTER DECK CARRIER W/BUSH 14 RED | | |
| 9. | 315-418S84 | CENTER DECK CARRIER W/BUSH 14 BLUE | | |
| 10. | 805-015C | PIN LYNCH 5/16 X 1 3/4 | | |
| 11. | 310-359D | GW SPACER 1/4 | | |
| 12. | 310-252D | G.W. SPACER 1/2 | | |
| 13. | 310-251D | G.W. SPACER 1 | | |
| 14. | 315-384H | WELDMENT CASTERED YOKE | | |
| 15. | 802-114C | HHCS 3/8-16X2 1/2 GR5 | | |
| 16. | 803-013C | NUT LOCK 3/8-16 PLT | | |
| 17. | 315-768D | SPINDLE 1" | | |
| 18. | 815-104C | HUB 4-BOLT W/ZERK COMPLETE | Includes items 23 through 29 | |
| 19. | 804-025C | WASHER FLAT 3/4 SAE PLT | | |
| 20. | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | | |
| | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| 22. | 814-118C | TIRE & WHL ASSY 18X9.50-8 4PLY | Includes items 30, 31 & 32 | |
| 23. | 816-014C | TINE GAUGE WHEEL HUB SEAL | | |
| 24. | 822-030C | BEARING CONE L44643 | | |
| | 822-080C | BEARING CUP L44610 | | |
| - | B0-47 | NEILSON STUD 1/2-20UNFX1 13/16 | Service Part Only | |
| 26. | 802-125C | RPBY BO-47 | | |
| 27. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 28. | 890-068C | RPBY 890-614C) GREASE CAP#1518 | | |
| | 803-159C | NUT LUG 1/2-20 X 60 DEG PLT | | |
| 30. | 10-097 | CARLISLE TIRE 18 X 9.5-8 4PLY | | Rev. 2 |
| 30. | 518081 | RPBY 10-097 | | Rev 1; Use up stock |
| 31. | TR-412 | T1. VALVE MARTIN | | |
| 32. | 492107 | CARLISLE RIM FOR 18X9.5-8 TIRE | | |
| 33. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | | |
| 34. | 804-016C | WASHER FLAT 1/2 SAE PLT | | |
| 35. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| | 803-020C | NUT HEX 1/2-13 PLT | | |
| 37. | 315-343S | CASTER G.W. YOKE,18" TIRE ASSY | Includes items 10 through 22 | |
| 38. | 315-733D | C SPACER COLLAR 1/2X1 17/32 ID | (S/N 242927+) | |
| 39. | 805-065C | PIN WIRE RETAINING 1/4 X 1 3/4 | (S/N 242926+) | |

Gauge Wheel Left & Right Hand (S/N 231294-)

Applies to AFM4014 and AFM40168



Gauge Wheel Left & Right Hand (S/N 231294-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------------|----------------------|---|-------------------------------|----------|
| 4 | dwg13825 | Drawing Image Number | | |
| 1. 2. | 802-091C 315-219S | HHCS 1/2-13X1 1/2 GR5 40200 NON-CASTERED GW ASSY | Includes items | |
| 2. 3. | 310-100S | 90" G W YOKE SUB ASSY | Includes items 20 through 30w | |
| 4. | 315-218S | 40200 CASTERED GW ARM SUB | Includes items 6, 7 & 8 | |
| 5. | 890-202C | GAUGE WHEEL SFT PIVOT BUSHING | merades terris o, 7 & o | |
| 6. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 7. | 315-196H | CASTERED GW ARM AFM40200 | | |
| 8. | 803-020C | NUT HEX 1/2-13 PLT | | |
| 9. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 10. | 315-237H | 40168 R.H. DECK CARRIER | (S/N 176349-) | |
| 10. | 315-236H | 40168 L.H. DECK CARRIER | (S/N 176349-) | |
| 11. | 802-058C | HHCS 5/8-11X2 1/2 GR5 | (S/N 176349-) | |
| 12. | 804-022C | WASHER LOCK SPRING 5/8 PLT | (S/N 176349-) | |
| 13. | 803-021C | NUT HEX 5/8-11 PLT | (S/N 176349-) | |
| 14. | 315-241H | 40168 WING CORNER CARRIER ROD | (S/N 176349-) | |
| 15. | 805-177C | PIN ROLL 5/16 X 1 3/4 PLT | (S/N 176349-) | |
| 16. | 817-151C | GW SNAP ON SPACER - 1/4" THICK | (S/N 176349-) | |
| 17. | 817-152C | GW SNAP ON SPACER - 1" THICK | (S/N 176349-) | |
| 18. | 827-001C | SPACER 1/2" | (S/N 176349-) | |
| 19. | 310-359D | GW SPACER 1/4" | | |
| 20. | 310-252D | G.W. SPACER 1/2" | | |
| 21. | 310-251D | G.W. SPACER 1" | | |
| 22. | 805-126C | PIN LYNCH 1/4 X 1 3/4 PLT | | |
| 23. | 310-090H | 90 GAUGE WHEEL YOKE | | |
| 24. | 802-305C | HHCS 1/2-20X8 GR5 | | |
| 25. | 803-018C | NUT HEX 1/2-20 PLT | | |
| 26. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 27. 28. | 310-249D 310-250D | RPBY 827-056C SPACER TUBE-SH. G.W. | | |
| 20. 29. | 814-070C | REP BY 814-114C | | |
| 29. | 814-193C | TIRE 13X5.00-6 (LITE FOAM) RIB | Optional | |
| 30. | 315-247D | 1 1/4 SQ BAR SPACER 1/4" LG | Optional | |
| 31. | 315-246D | 1 1/4 SQ BAR SPACER 1/2" LG | | |
| 32. | 315-245D | 1 1/4 SQ BAR SPACER 1" LG | | |
| 33. | 315-098H | NON-CASTER GW YOKE WELD | | |
| 34. | 315-248D | 1 1/4 SQ BAR TOP CAP | | |
| 35. | 315-195H | NONCASTERED GW ARM AFM40200 | | |
| 36. | 315-272H | 168 RH INSIDE NONCASTER ARM (SHOWN) | | |
| 36. | 315-273H | 168 LH INSIDE NONCASTER ARM \ | | |
| 37. | 814-114C | TIRE 13X5.00-6 AIR TIREW/HOLES | Rev. 2 | |
| 37. | 814-070C | RPBY 814-114C | Rev. 1 | |
| 37. | 814-272C | TIRE 13X5.0-6SEMI-SOLID SMOOTH | Rev. 2; Optional | |
| 37. | 814-193C | RPBY 814-272C | Rev. 1; Optional | |
| | | | | |

Gauge Wheel Left & Right Hand (S/N 231295+)

Applies to AFM4014 and AFM40168




Table of Contents Gauge Wheel Left & Right Hand (S/N 231295+)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|------------|---|------------------------------|--------------------------|
| | dwg16904 | Drawing Image Number | | |
| 1. | 803-020C | NUT HEX 1/2-13 PLT | | |
| 2. | 804-015C | WASHER LOCK SPRING 1/2 PLT | | |
| 3. | 802-091C | HHCS 1/2-13X1 1/2 GR5 | | |
| 4. | 315-417H | NON CASTER ARM WLDMNT 14&16AFM | Outer Arm | |
| 4. | 315-417H81 | NON CASTER ARM WLDMNT 14&16AFM | | |
| 4. | 315-417H82 | GREEN NON CASTER ARM WLDMNT 14&16AFM ORANGE | | |
| 4. | 315-417H83 | NON CASTER ARM WLDMNT 14&16AFM RED | | |
| 4. | 315-417H84 | NON CASTER ARM WLDMNT 14&16AFM BLUE | | |
| 5. | 805-015C | PIN LYNCH 5/16 X 1 3/4 | | |
| 6. | 315-248D | 1 1/4 SQ BAR TOP CAP | | |
| 7. | 315-247D | 1 1/4 SQ BAR SPACER 1/4 LG | | |
| 8. | 315-246D | 1 1/4 SQ BAR SPACER 1/2 LG | | |
| 9. | 315-245D | 1 1/4 SQ BAR SPACER 1 LG | | |
| 10. | 315-383H | WELDMENT NON-CASTERED YOKE | | |
| 11. | 814-118C | TIRE & WHL ASSY 18X9.50-8 4PLY | Includes items 35, 36 & 37 | |
| 12. | 315-344S | NONCASTER G.W. YOKE, 18"TR ASSY | Includes items 5 through 11 | |
| 13. | 315-415H | 14'LH DCK INSD NONCSTR ARM WLD | - | |
| 13. | 315-415H81 | 14'LH DCK INSD NONCSTR ARM WLD GREEN | | |
| 13. | 315-415H82 | 14'LH DCK INSD NONCSTR ARM WLD ORANGE | | |
| 13. | 315-415H83 | 14'LH DCK INSD NONCSTR ARM WLD RED | | |
| | 315-415H84 | 14'LH DCK INSD NONCSTR ARM WLD BLUE | | |
| | 315-414H | 14'RH DCK INSD NONCSTR ARM WLD | | |
| | 315-414H81 | 14'RH DCK INSD NONCSTR ARM WLD GREEN | | |
| | 315-414H82 | 14'RH DCK INSD NONCSTR ARM WLD ORANGE | | |
| | 315-414H83 | 14'RH DCK INSD NONCSTR ARM WLD RED | | |
| | 315-414H84 | 14'RH DCK INSD NONCSTR ARM WLD BLUE | | |
| | 890-202C | GAUGE WHEEL SFT PIVOT BUSHING | | |
| | 315-413H | CASTERED ARM WLDMNT 14&16 AFM | | |
| 15. | 315-413H81 | CASTERED ARM WLDMNT 14&16 AFM GREEN | | |
| 15. | 315-413H82 | CASTERED ARM WLDMNT 14&16 AFM ORANGE | | |
| 15. | 315-413H83 | CASTERED ARM WLDMNT 14&16 AFM RED | | |
| 15. | 315-413H84 | CASTERED ARM WLDMNT 14&16 AFM BLUE | | |
| 16. | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 17. | 310-359D | GW SPACER 1/4 | | |
| 18. | 310-252D | G.W. SPACER 1/2 | | |
| 19. | 310-251D | G.W. SPACER 1 | | |
| 20. | 315-384H | WELDMENT CASTERED YOKE | | |
| 21. | 802-114C | HHCS 3/8-16X2 1/2 GR5 | | |
| 22. | 803-013C | NUT LOCK 3/8-16 PLT | | |
| 23. | 315-768D | SPINDLE 1" | | |
| 24. | 815-104C | HUB 4-BOLT W/ZERK COMPLETE | Includes items 28 through 34 | |
| 25. | 805-045C | PIN COTTER 5/32 X 1 1/4 LG | | |
| 26. | 803-053C | NUT HEX SLOTTED 3/4-16 | | |
| 27. | 804-025C | WASHER FLAT 3/4 SAE PLT | | |
| | 816-014C | TINE GAUGE WHEEL HUB SEAL | | |
| | 822-030C | BEARING CONE L44643 | | |
| 30. | 822-080C | BEARING CUP L44610 | | |
| 31. | B0-47 | NEILSON STUD 1/2-20UNFX1 13/16 | | Service part only Rev. 2 |
| | 802-125C | RPBY BO-47 | | Rev. 1 |
| | 800-001C | GREASE ZERK STRAIGHT 1/4-28 | | |
| 33. | 890-068C | RPBY 890-614C) GREASE CAP#1518 | | |

Gauge Wheel Left & Right Hand (S/N 231295+) (continued)

| Ref | Part No. | Part Description | Comments | Revision |
|-----|----------|---------------------------------------|---------------------------------|---------------------|
| 34. | 803-159C | NUT LUG 1/2-20 X 60 DEG PLT | | |
| 35. | 10-097 | CARLISLE TIRE 18 X 9.5-8 4PLY | | Rev. 2 |
| 35. | 518081 | RPBY 10-097 | | Rev 1; Use up stock |
| 36. | TR-412 | T1. VALVE MARTIN | | |
| 37. | 492107 | CARLISLE RIM FOR 18X9.5-8 TIR315-343S | CASTER G.W. YOKE,18" TIRE ASSY; | |
| 38. | 315-343S | CASTER G.W. YOKE,18" TIRE ASSY | | |
| 39. | 315-495A | AFM4014 BOLT-ON SQ HL TB UPGRD | Service part only S/N 231295+) | |
| 40. | 315-488H | 14/16 BOLT-ON NON-CASTR MOUNT | Service part only S/N 231295+) | |
| 41. | 315-490H | 14RH INSIDE BOLTON NONCSTR MNT | Service part only S/N 231295+) | |
| 42. | 315-489H | 14LH INSIDE BOLTON NONCSTR MNT | Service part only S/N 231295+) | |
| 43. | 803-169C | NUT HEX FLG. LOCK 1/2-13 PLT. | Service part only S/N 231295+) | |
| 44. | 802-099C | HHCS 1/2-13X3 1/4 GR5 | Service part only S/N 231295+) | |


Gauge Wheel Left & Right Hand (S/N 231295+) (continued)

Applies to AFM4014 and AFM40168

This Page Intentionally Left Blank

Gauge Wheels 814-070C and 814-114C) (S/N 231294-)

Applies to AFM4014 and AFM40168




Gauge Wheels 814-070C and 814-114C) (S/N 231294-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------------|---------------------------------|---------------------------------|----------|
| | dwg13630 | Drawing Image Number | | |
| 1. | 814-114C | TIRE 13X5.00-6 AIR TIRE W/HOLES | Standard air tire w/rim holes | Rev. 2 |
| 1. | 814-070C | RPBY 814-114C | Obsolete air tire w/o rim holes | Rev. 1 |
| 2. | 53-180 | TILDEN BRG 1.38 OD X3.7LG.75ID | For wheels w/ 1-bearing | Rev. 2 |
| 2. | 95360NA | RPBY 53-180 | | Rev. 1 |
| 3. | 53-164 | TILDEN RTNR 3/4IDX1 3/8ODX1/4L | | Rev.2 |
| 3. | BF-1506 | RPBY 53-164 | | Rev. 1 |
| 4. | 5180211 | CL TIRE 13X500-6 4PLY RIB | Standard air tire | Rev. 2 |
| 4. | 506-4R-I | RPBY 5180211 | | Rev. 1 |
| 5. | 50069S6LPY34RB | RIM W/DRAIN HOLES & BRGS -114C | For rims w/ 2-bearings | |
| 6. | 53-189 | TILDEN BRG 3/4ID1.34ODX15/16L | For wheels w/ 2-bearings | Rev. 2 |
| 6. | 95316 | RPBY 53-189 | | Rev. 1 |
| 7. | 814-272C | TIRE 13X5.0-6SEMI-SOLID SMOOTH | Optional solid tire w/rim holes | Rev. 2 |
| 7. | 814-193C | RPBY 814-272C | Obsolet foam fill tire | Rev. 1 |
| 8. | 15500000037 | Roller Bearing, 75 ID X 1 375 O | | |

Gearbox 4-Way Splitter (826-141C) (S/N 242926-)

Applies to AFM4014 and AFM40168




Gearbox 4-Way Splitter (826-141C) (S/N 242926-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|------------------------------|----------|----------|
| | dwg13712 | Drawing Image Number | | |
| | 826-141C | 4-WAY SPLITTER BOX 1:1 RATIO | | |
| 1. | 05-015 | ITG HUB SHAFT SEAL | | |
| 2. | 04-018 | ITG BEARING ASSY ISO #30208 | | |
| 3. | 06-012 | ITG M10 X 1.5 X 25 CAP SCREW | | |
| 4. | 07-001 | RPBY 804-158C | | |
| 5. | 20-028 | ITG OUTPUT HUB CAP | | |
| 6. | 08-027 | ITG GASKET 0.25MM (METAL) | | |
| 7. | 08-028 | ITG GASKET 0.30MM (METAL) | | |
| 8. | 08-029 | ITG GASKET 0.40MM (METAL) | | |
| 9. | 05-002 | ITG INPUT OIL SEAL | | |
| 10. | 09-011 | ITG M18 X 1.5P PLUG VENTED | | |
| 11. | 18-033 | ITG SPLITTER BOX HOUSING | | |
| 12. | 20-029 | ITG THRU SHAFT HUB CAP | | |
| 13. | 11-021 | ITG BRG ADJUSTING NUT | | |
| 14. | 03-067 | ITG 16 TOOTH GEAR | | |
| 15. | 12-006 | ITG COTTER PIN | | |
| 16. | 02-062 | ITG HUB SHAFT | | |
| 17. | 09-013 | ITG DRAIN PLUG | | |
| 18. | 10-042 | ITG SPACER | | |
| 19. | 02-061 | ITG THRU SHAFT | | |

Gearbox 4-Way Splitter (826-097C) Comer (S/N 242927 to 272759)


Applies to AFM4014 and AFM40168



Gearbox 4-Way Splitter (826-097C) Comer (S/N 242927 to 272759)

| Ref. | Part No. | Part Description | Comments | Revision |
|---|---|--|----------|-------------------------------|
| 1. 2. 3. 4. 5. 6. | dwg11787 826-097C 8.1.1.00073 8.3.6.00020 0.257.1743.00 0.242.7200.00 8.7.3.00055 822-166C 8.0.1.00870 0.241.5001.00 | Drawing Image Number RPBY 315-447A CO BOLT M10 X 30 8.8 CO SPRING WASHER 10.2DIN798 CO COVER CO GASKET CO OIL SEAL 35 X 72 X 10 BEARING BALL 6207 RPBY 822-166C CO GEAR Z14 M6.5 | | Rev. 2 Rev 1; Use up stock |
| 8. | 0.267.4212.00 | CO SHAFT | | |
| 9. | 8.3.3.00384 | CO WASHER M8 | | |
| 10. | 0.257.0505.00 | CO CASTING | | |
| 11. 12. 13. | 0.107.7100.01 8.5.1.00005 8.0.9.00026 | CO OIL FILTER PLUG CO SNAP RING EXT 35 UN17435 REP BY 822-167C | | |
| 14. | 8.1.1.00045 | CO BOLT M8 X 10 8.8 | | |
| 15. 16. 17. 18. 19. 20. 21. | 8.4.1.00021 0.242.2101.00 0.256.1314.00 8.6.5.00006 0.257.1742.00 A.259.500 8.7.3.00071 | CO PARALLEL KEY A 10 X 8 X 35 CO OUTPUT SHAFT CO EXTENSION CO OIL PLUG 3/8 CO COVER CO ADJUSTMENT SPACER, 35.3 X48 CO OIL SEAL 35 X 56 X 8 | | |

Applies to AFM4014 and AFM40168




Gearbox 4-Way Splitter (826-274C) OMNI (S/N 272760+)

| Ref | Part No. | Part Description | Comments | Revision |
|-----|----------|--------------------------------|----------|----------|
| | dwg18259 | Drawing Image Number | | |
| | 826-274C | GBOX DIVIDER OMNI 250559 1:1 | | |
| 1. | 060133 | OMNI SEAL-THROUGH CAP (3-LIP) | | |
| 2. | 802-159C | HHCS 5/16-18X1 GR5 | | |
| 3. | 804-009C | WASHER LOCK SPRING 5/16 PLT | | |
| 4. | 020166 | OMNI CAP, THRU | | |
| 5. | 070218 | OMNI GASKET, CAP 0.10MM | | |
| 6. | 070219 | OMNI GASKET, CAP 0.20MM | | |
| 7. | 070220 | OMNI GASKET, CAP 0.30MM | | |
| 8. | 140055 | OMNI PLUG REL1/2-14NPTF,DPSTCK | | |
| 9. | 010180 | OMNI HOUSING, 400 SER. 5B MODI | | |
| 10. | 120126 | LOCK NUT, BEARING M30X1.5 | | |
| 11. | 130146 | LOCKWASHER, BEARING M30 | | |
| 12. | 030512 | OMNI GEAR, OUTPUT 20T (1:1) | | |
| 13. | 050170 | REP BY 050172 CUP | | |
| 14. | 050172 | REP BY 822-167C | | |
| 15. | 020164 | OMNI CAP CANTILEVERED | | |
| 16. | 040345 | OMNI SHAFT-OUTPUT 1 3/8-6A SPL | | |
| 17. | 060134 | OMNI SEAL, CANT. CAP (3-LIP) | | |
| 18. | 200142 | OMNI RETAINING RING, 35MM | | |
| 19. | 040343 | OMNI SHAFT-INPUT 1 3/8-6A SPL | | |
| 20. | 200141 | OMNI RTNG. RING 38MM RC DSH-38 | | |
| 21. | 090099 | OMNI SPACER | | |
| 22. | 030467 | OMNI GEAR, INPUT 20T (1:1) | | |
| 23. | 140004 | OMNI PLUG, SOCKET HD. 1/2 PIPE | | |
| | | | | |

Gearbox Center & Right Deck (826-122C) (S/N 211886-)

Applies to AFM4014 and AFM40168




Gearbox Center & Right Deck (826-122C) (S/N 211886-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------|---------------------|
| | dwg13814 | Drawing Image Number | | |
| | 826-122C | RPBY 826-205C) | | Rev. 1 |
| 1. | 09-012 | ITG M18 X 1.5P PLUG (NON-VENT) | | |
| 2. | 20-031 | ITG INPUT HUB CAP | | |
| 3. | 08-030 | ITG GASKET (0.30MM) | | |
| 4. | 08-031 | ITG GASKET (0.13MM) | | |
| 5. | 21-012 | ITG RETAINING RING | | |
| 6. | 822-166C | BEARING BALL 6207 | | Rev. 2 |
| 6. | 04-004 | RPBY 822-166C | | Rev 1; Use up stock |
| 7. | 18-035 | ITG G-BOX HOUSING | | |
| 8. | 09-011 | ITG M18 X 1.5P PLUG VENTED | | |
| 9. | 03-074 | REP BY 826-326C OR -327C | | |
| 10. | 04-003 | REP BY 822-188C | | |
| 11. | 10-042 | ITG SPACER | | |
| 12. | 05-005 | ITG OUTPUT OIL SEAL | | |
| 13. | 08-005A | ITG OUTPUT CAP GASKET 0.25MM | | |
| 14. | 08-005B | ITG OUTPUT CAP GASKET 0.10MM | | |
| 15. | | ITG OUTPUT CAP | | |
| 16. | 07-007 | ITG WASHER | | |
| | 11-007 | ITG 1"-14 SLOTTED HEX NUT | | |
| | 12-003 | ITG COTTER PIN | | |
| 19. | 06-012 | ITG M10 X 1.5 X 25 CAP SCREW | | |
| 20. | 07-001 | RPBY 804-158C | | |
| | 02-034 | ITG INPUT SHAFT | | |
| 22. | 03-075 | ITG 48 TOOTH INPUT GEAR | | |
| 23. | 09-009 | ITG CAP PLUG | | |
| 24. | 05-002 | ITG INPUT OIL SEAL | | |

Gearbox Center & Right Deck (826-122C) Comer (S/N 211886-)

Applies to AFM4014 and AFM40168




Gearbox Center & Right Deck (826-122C) Comer (S/N 211886-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|---------------|-----------------------------|----------|---------------------|
| | dwg13714 | Drawing Image Number | | |
| | 826-122C | RPBY 826-205C | | Rev. 1 |
| 1. | 8.4.7.00516 | CO COTTER PIN M5 X 50 | | |
| 2. | 8.2.2.01144 | NUT M 24 X 2 | | |
| 3. | 8.3.2.00409 | FLAT WASHER 24 X 44 X 4 | | |
| 4. | 8.7.3.00027 | CO OIL SEAL 40 X 80 X 10 | | |
| 5. | 8.5.1.00680 | CO SNAP RING 40 UNI 7436 | | |
| 6. | A.244.500 | COMER SHIM KIT 51.5 | | |
| 7. | 8.0.9.00024 | RPBY 822-167C | | |
| 8. | 0.151.0300.00 | CO GEARBOX HOUSING LF-151A | | |
| 9. | 8.0.9.00026 | CO BEARING 30207 | | |
| 10. | A.248.500 | COMER SHIM KIT 71.7 | | |
| 11. | 8.5.2.00131 | CO SNAP RING INT 72 UN17437 | | |
| 12. | 8.7.3.00055 | CO OIL SEAL 35 X 72 X 10 | | |
| 13. | 0.151.5201.00 | CO GEAR Z34 M4.55 | | |
| 14. | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| 15. | 0.151.6208.00 | CO PINION Z34 M4.55 | | |
| 16. | 0.140.1300.00 | CO GEARBOX TOP COVER | | |
| 17. | 0.286.7100.00 | REP BY 8.6.7.00269 | | |
| 18. | 8.1.1.00343 | CO BOLT M8 X 14 8.8 | | |
| 19. | 8.4.1.01141 | CO PAR. KEY M 12 X 8 X 30 | | |
| 20. | 0.151.2000.00 | CO SHAFT 1 3/8-6 CCW | | |
| 21. | 822-166C | BEARING BALL 6207 | | Rev. 2 |
| 21. | 8.0.1.00870 | RPBY 822-166C | | Rev 1; Use up stock |
| 22. | 8.7.0.00744 | CO CAP 72 X 10 | | |

Gearbox Center & Right Deck (826-205C) OMNI (S/N 211887 to 368117)

Applies to AFM4014 and AFM40168




Gearbox Center & Right Deck (826-205C) OMNI (S/N 211887 to 368117)

| Re£ | Part No. | Part Description | Comments | Revision |
|--|--|--|--------------------------------|--|
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. | dwg16506 826-205C 110192 130006 020224 070249 070248 070247 070246 060127 050170 050172 040335 030457 200141 200140 090181 090180 090179 110009 130028 240280 | Part Description Drawing Image Number REP BY 826-295C OMNI SCREW-5/16"-18UNC X 7/8" REP BY 804-009C OMNI CAP-INPUT OMNI GASKET-INPUT 0.50MM OMNI GASKET-INPUT 0.30MM OMNI GASKET-INPUT 0.20MM OMNI GASKET-INPUT 0.10MM OMNI GASKET-INPUT 0.10MM OMNI GASKET-INPUT 0.10MM OMNI SEAL-INPUT CR13930 REP BY 822-167C REP BY 822-167C OMNI SHAFT-INPUT 1-3/8"-6 SPLN OMNI GEAR INPUT, 34T OMNI RTNG. RING 38MM RC DSH-38 OMNI RTNG. RING 38MM RC DSH-38 OMNI SHIM INPUT 0.30MM OMNI SHIM INPUT 0.20MM REP BY 090180 OMNI SCREW-1/4"-20 UNC X 3/4" OMNI LOCKWASHR 1/4" SPLIT TYPE OMNI INSPECTION COVER OMNI HOUSING-RC-25 OMNI PLUG SQ.HD.1/2-14NPT W/DP OMNI PIPE PLUG 1/2' SQ HEAD REP BY 8.6.7.00269 OMNI PINION-OUTPUT 12T REP BY 090183 OMNI SHIM OUTPUT 0.30MM OMNI SHIM OUTPUT 0.30MM OMNI SHIM OUTPUT 0.10MM OMNI SHIM OUTPUT 0.10MM OMNI SHIM OUTPUT 0.30MM OMNI GASKET-OUTPUT 0.10MM OMNI GASKET-OUTPUT 0.30MM OMNI GASKET-OUTPUT 0.50MM OMNI GASKET-OUTPUT 0.50MM OMNI GASKET-OUTPUT 0.50MM OMNI SEAL-OUTPUT CR15822 OMNI CAP-OUTPUT OMNI NUT HEX SLOTTED, 1-14UNC | (S/N 215411+) (S/N 215410-) | Rev. 1 Rev. 2 not compat. w/Rev. 1 Rev. 1 |

Gearbox Center & Right Deck (826-295C) OMNI (S/N 211887 to 368117)

Applies to AFM4014 and AFM40168




Gearbox Center & Right Deck (826-295C) OMNI (S/N 211887 to 368117)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------|----------|
| | dwg18641 | Drawing Image Number | | |
| | 826-295C | RPBY 826-327C | | Rev. 1 |
| 1. | 110192 | OMNI SCREW-5/16"-18UNC X 7/8" | | |
| 2. | 130006 | REP BY 804-009C | | |
| 3. | 020224 | OMNI CAP-INPUT | | |
| 4. | 070249 | OMNI GASKET-INPUT 0.50MM | | |
| 5. | 070248 | OMNI GASKET-INPUT 0.30MM | | |
| 6. | 070247 | OMNI GASKET-INPUT 0.20MM | | |
| 7. | 070246 | OMNI GASKET-INPUT 0.10MM | | |
| 8. | 060127 | OMNI SEAL-INPUT CR13930 | | |
| 9. | 050170 | REP BY 822-167C | | |
| 10. | 050172 | REP BY 822-167C | | |
| 11. | 040491 | OMNI SHAFT INPUT 1 3/8" - 6A | | |
| 12. | 030457 | OMNI GEAR INPUT, 34T | | |
| 13. | 200141 | OMNI RTNG. RING 38MM RC DSH-38 | | |
| 14. | 200140 | OMNI RTNG. RING 38MM RC DSH-38 | | |
| 15. | 090181 | OMNI SHIM INPUT 0.30MM | | |
| 16. | 090180 | OMNI SHIM INPUT 0.20MM | | |
| 17. | 090179 | REP BY 090180 | | |
| 18. | 110009 | OMNI SCREW-1/4"-20 UNC X 3/4" | | |
| 19. | 130028 | OMNI LOCKWASHR 1/4" SPLIT TYPE | | |
| 20. | 240280 | OMNI INSPECTION COVER | | |
| 21. | 010252 | OMNI HOUSING RC-25 SERIES | | |
| 22. | 140047 | OMNI PLUG SQ.HD.1/2-14NPT W/DP | | |
| 23. | 140000 | OMNI PIPE PLUG 1/2' SQ HEAD | | |
| 24. | 030456 | OMNI PINION-OUTPUT 12T | | |
| 25. | 090182 | REP BY 090183 | | |
| 26. | 090183 | OMNI SHIM OUTPUT 0.20MM | | |
| 27. | 090184 | OMNI SHIM OUTPUT 0.30MM | | |
| 28. | 050197 | REP BY 822-191C | | |
| 29. | 050195 | REP BY 822-191C | | |
| 30. | 090185 | OMNI SPACER OUTPUT | | |
| 31. | 090186 | OMNI SHIM OUTPUT 0.10MM | | |
| 32. | 090187 | OMNI SHIM OUTPUT 0.20MM | | |
| 33. | 090188 | OMNI SHIM OUTPUT 0.30MM | | |
| 34. | 200000 | OMNI RETAINING RING | | |
| 35. | 070250 | OMNI GASKET-OUTPUT 0.10MM | | |
| 36. | 070251 | OMNI GASKET-OUTPUT 0.20MM | | |
| 37. | 070252 | OMNI GASKET-OUTPUT 0.30MM | | |
| 38. | 070253 | OMNI GASKET-OUTPUT 0.50MM | | |
| 39. | 060128 | OMNI SEAL-OUTPUT CR15822 | | |
| 40. | 020225 | OMNI CAP-OUTPUT | | |
| 41. | 120050 | OMNI NUT HEX SLOTTED, 1-14UNC | | |
| 42. | 100001 | OMNI COTTER PIN 5 X 50 | | |
| 43. | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| 44. | 090341 | OMNI SPACER, INPUT | | |
| | | | | |

Gearbox Center & Right Deck (826-327C) Comer (S/N 368118 +)

Applies to AFM4014 and AFM40168




Gearbox Center & Right Deck (826-327C) Comer (S/N 368118 +)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------------|--------------------------------|----------|----------|
| | dwg19550 | Drawing Image Number | | |
| | 826-327C | GBOX MOWER 50 HP 1:2.8 CCW | | |
| 1. | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| 2. | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| 3. | 0.195.1300.00 | CO COVER | | |
| 4. | 0.195.2000.00 | CO INPUT SHAFT 1" 3/8 Z6 | | |
| 5. | 8.7.0.00744 | CO CAP 72 X 10 | | |
| 6. | 8.5.2.00131 | CO SNAP RING INT 72 UN17437 | | |
| 7. | A.248.500 | COMER SHIM KIT 71.7 | | |
| 8. | 822-166C | BEARING BALL 6207 | | |
| 9. | 8.5.1.00680 | CO SNAP RING 40 UNI 7436 | | |
| 10. | 0.259.7525.00 | CO SHIM 35.3 X 48 X 2.5 | | |
| 11. | 0.195.0300.00 | CO HOUSING | | |
| 12. | 8.0.9.00102 | CO ROLLER BEARING 32208 CL-B | | |
| 13. | 0.278.7103.00 | CO NUT M40 X 1.5 | | |
| 14. | 8.7.3.00081 | CO OIL SEAL 35 X 80 X 10 RTA35 | | |
| 15. | 1.195.7100.00 | CO PROTECTIVE FLAT WASHER | | |
| 16. | 8.5.3.00955 | CO SNAP RING SB 81 | | |
| 17. | 8.3.2.00409 | CO FLAT WASHER 25 X 44 X 4 | | |
| 18. | 8.2.2.01144 | NUT CASTLE M 24 X 2 | | |
| 19. | 8.4.7.00516 | CO COTTER PIN B5 X 50 | | |
| 20. | A244.501 | CO SHIM 40.3 X 51.5 826-067C | | |
| 21. | 0.195.5000.00 | CO PINION Z12 M4.7 | | |
| 22. | 8.0.9.00026 | CO ROLLER BEARING 30207 CL-B | | |
| 23. | 8.7.3.00055 | CO OIL SEAL 35 X 72 X 10 | | |
| 24. | 0.195.6000.00 | CO CROWN GEAR Z33 M4.7 | | |
| 25. | U0.195.7101.00 | CO OIL LEVEL PLUG 3/8" GAS | | |

Gearbox Left Deck (826-121C) Comer (S/N 211886-)

Table of Contents

Applies to AFM4014 and AFM40168




Gearbox Left Deck (826-121C) Comer (S/N 211886-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|---------------|-----------------------------|--------------|---------------------|
| | dwg12760 | Drawing Image Number | | |
| | 826-121C | RPBY 826-206C | 1st revision | |
| 1. | 8.4.7.00516 | CO COTTER PIN M5 X 50 | | |
| 2. | 8.2.2.01144 | NUT M 24 X 2 | | |
| 3. | 8.3.2.00409 | FLAT WASHER 24 X 44 X 4 | | |
| 4. | 8.7.3.00027 | CO OIL SEAL 40 X 80 X 10 | | |
| 5. | 8.5.1.00680 | CO SNAP RING 40 UNI 7436 | | |
| 6. | A.244.500 | COMER SHIM KIT 51.5 | | |
| 7. | 8.0.9.00024 | CO BEARING 30208 | | |
| 8. | 0.151.0300.00 | CO GEARBOX HOUSING LF-151A | | |
| 9. | 8.0.9.00026 | REP BY 822-167C | | |
| 10. | A.248.500 | COMER SHIM KIT 71.7 | | |
| 11. | 8.5.2.00131 | CO SNAP RING INT 72 UN17437 | | |
| 12. | 8.7.0.00744 | CO CAP 72 X 10 | | |
| 13. | 0.151.5201.00 | CO GEAR Z34 M4.55 | | |
| 14. | 8.6.5.00006 | CO OIL PLUG 3/8 | | |
| 15. | 0.151.6208.00 | CO PINION Z34 M4.55 | | |
| 16. | 0.140.1300.00 | CO GEARBOX TOP COVER | | |
| 17. | 0.286.7100.00 | REP BY 8.6.7.00269 | | |
| 18. | 8.1.1.00343 | CO BOLT M8 X 14 8.8 | | |
| 19. | 8.4.1.01141 | CO PAR. KEY M 12 X 8 X 30 | | |
| 20. | 0.151.2001.00 | CO GB SHAFT 1 3/8 LF-151A | | |
| 21. | 822-166C | BEARING BALL 6207 | | Rev. 2 |
| 21. | 8.0.1.00870 | RPBY 822-166C | | Rev 1; Use up stock |
| 22. | 8.7.3.00055 | CO OIL SEAL 35 X 72 X 10 | | |

Gearbox Left Deck (826-121C) ITG (S/N 211886-)

Applies to AFM4014 and AFM40168




Gearbox Left Deck (826-121C) ITG (S/N 211886-)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------|---------------------|
| | dwg13815 | Drawing Image Number | | |
| | 826-121C | RPBY 826-206C) | | |
| 1. | 09-011 | ITG M18 X 1.5P PLUG VENTED | | |
| 2. | 20-031 | ITG INPUT HUB CAP | | |
| 3. | 08-030 | ITG GASKET (0.30MM) | | |
| 4. | 08-031 | ITG GASKET (0.13MM) | | |
| 5. | 21-012 | ITG RETAINING RING | | |
| 6. | 822-166C | BEARING BALL 6207 2nd revision | | Rev. 2 |
| 6. | 04-004 | RPBY 822-166C | | Rev 1; Use up stock |
| 7. | 18-035 | ITG G-BOX HOUSING | | |
| 8. | 09-011 | ITG M18 X 1.5P PLUG VENTED | | |
| 9. | 03-074 | REP BY 826-326C | | |
| 10. | 04-003 | REP BY 822-188C | | |
| 11. | 10-042 | ITG SPACER | | |
| 12. | 05-005 | ITG OUTPUT OIL SEAL | | |
| 13. | 08-005A | ITG OUTPUT CAP GASKET 0.25MM | | |
| 14. | 08-005B | ITG OUTPUT CAP GASKET 0.10MM | | |
| | 20-003 | ITG OUTPUT CAP | | |
| 16. | 07-007 | ITG WASHER | | |
| 17. | 11-007 | ITG 1"-14 SLOTTED HEX NUT | | |
| 18. | 12-003 | ITG COTTER PIN | | |
| 19. | 06-012 | ITG M10 X 1.5 X 25 CAP SCREW | | |
| 20. | 07-001 | RPBY 804-158C | | |
| 21. | 02-035 | ITG INPUT SHAFT | | |
| 22. | 03-075 | ITG 48 TOOTH INPUT GEAR | | |
| 23. | 05-002 | ITG INPUT OIL SEAL | | |
| 24. | 09-009 | ITG CAP PLUG | | |

Gearbox Left Deck (826-206C) OMNI (S/N 211887 to 368117)

Applies to AFM4014 and AFM40168




Part Number Index Table of Contents

Gearbox Left Deck (826-206C) OMNI (S/N 211887 to 368117)

| Ref. | Part No. | Part Description | Comments | Revision |
|--|--|--|---|-----------------------------|
| 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. | dwg15934 826-206C 110192 130006 020224 070249 070247 070246 060127 050170 050172 200140 040335 | Drawing Image Number REP BY 826-296C OMNI SCREW-5/16"-18UNC X 7/8" REP BY 804-009C OMNI CAP-INPUT OMNI GASKET-INPUT 0.50MM OMNI GASKET-INPUT 0.30MM OMNI GASKET-INPUT 0.20MM OMNI GASKET-INPUT 0.10MM OMNI GASKET-INPUT 0.10MM OMNI SEAL-INPUT CR13930 REP BY 822-167C REP BY 822-167C OMNI RTNG. RING 38MM RC DSH-38 OMNI SHAFT-INPUT 1-3/8"-6 SPLN | Comments | Rev. 1 |
| 13. 14. | 200141 030457 | OMNI RTNG. RING 38MM RC DSH-38 OMNI GEAR INPUT, 34T | | |
| 15. 16. | 090181 090180 | OMNI SHIM INPUT 0.30MM OMNI SHIM INPUT 0.20MM | | |
| 17. | 090179 | REP BY 090180 | | |
| 18. | 110009 | OMNI SCREW-1/4"-20 UNC X 3/4" | | |
| 19. | 130028 | OMNI LOCKWASHR 1/4" SPLIT TYPE | | |
| 20. | 240280 | OMNI INSPECTION COVER | | |
| 21. | 010175 | OMNI HOUSING-RC-25 | | |
| 22. | 140047 | OMNI PLUG SQ.HD.1/2-14NPT W/DP | | _ |
| 23. | 8.6.7.00269 | CO 1/2" GAS BREATHER PLUG | (0/1) 045444 | Rev. 3 |
| 23. | 140000 | OMNI PIPE PLUG 1/2' SQ HEAD | (S/N 215411+) | Rev. 2 not compat. w/Rev. 1 |
| 23. 24. | 140033 | OMNI PLUG VENT 1/2-14 NPTF | (S/N 215410-) | Rev. 1 |
| 24. 24. | 030456 8.6.7.00269 | OMNI PINION-OUTPUT 12T CO 1/2" GAS BREATHER PLUG | Current setting 3-5 lbs. Optional heavier setting 7.5-15 lbs | |
| 25. | 090182 | REP BY 090183 | Optional fleavier setting 7.5 15 ibs | |
| 26. | 090183 | OMNI SHIM OUTPUT 0.20MM | | |
| 27. | 090184 | OMNI SHIM OUTPUT 0.30MM | | |
| 28. | 050197 | REP BY 822-191C | | |
| 29. | 050195 | REP BY 822-191C | | |
| 30. | 090185 | OMNI SPACER OUTPUT | | |
| 31. | 090186 | OMNI SHIM OUTPUT 0.10MM | | |
| 32. | 090187 | OMNI SHIM OUTPUT 0.20MM | | |
| 33. | 090188 | OMNI SHIM OUTPUT 0.30MM | | |
| 34. 35. | 200000 070250 | OMNI RETAINING RING OMNI GASKET-OUTPUT 0.10MM | | |
| | 070253 | OMNI GASKET-INPUT 0.50MM | | |
| 37. | 070252 | OMNI GASKET-INPUT 0.30MM | | |
| 38. | 070251 | OMNI GASKET-INPUT 0.20MM | | |
| 39. | 060128 | OMNI SEAL-OUTPUT CR15822 | | |
| 40. | 020225 | OMNI CAP-OUTPUT | | |
| 41. | 120050 | OMNI NUT HEX SLOTTED, 1-14UNC | | |
| 42. | 100001 | OMNI COTTER PIN 5 X 50 | | |
| 43. | 140017 | OMNI PLUG PIPE SQ HD1/8-27NPTF | | |
| | | | | |

Gearbox Left Deck (826-326C) Comer (S/N 368118+)

Applies to AFM4014 and AFM40168



Gearbox Left Deck (826-326C) Comer (S/N 368118+)

| Ref. | Part No. | Part Description | Comments | Revision |
|------|-------------------------------------|--|----------|----------|
| 1. | dwg19549 826-326C 8.6.5.00006 | Drawing Image Number GBOX MOWER 50 HP 1:2.8 CW CO OIL PLUG 3/8 | | |
| 2. | 8.1.1.00501 | CO BOLT M8X22 HHB | | |
| 3. | 0.195.1300.00 | CO COVER | | |
| 4. | 0.195.2000.00 | CO INPUT SHAFT 1" 3/8 Z6 | | |
| 5. | 8.7.0.00744 | CO CAP | 72 X 10 | |
| 6. | 8.5.2.00131 | CO SNAP RING INT 72 UN17437 | | |
| 7. | A.248.500 | COMER SHIM KIT 71.7 | | |
| 8. | 8.0.9.00026 | CO ROLLER BEARING 30207 CL-B | | |
| 9. | 8.5.1.00680 | CO SNAP RING 40 UNI 7436 | | |
| 10. | 0.259.7525.00 | CO SHIM 35.3 X 48 X 2.5 | | |
| 11. | 0.195.0300.00 | CO HOUSING | | |
| 12. | | CO ROLLER BEARING 32208 CL-B | | |
| 13. | 0.278.7103.00 | CO NUT M40 X 1.5 | | |
| 14. | 8.7.3.00081 | CO OIL SEAL 35 X 80 X 10 RTA35 | | |
| 15. | 1.195.7100.00 | CO PROTECTIVE FLAT WASHER | | |
| 16. | 8.5.3.00955 | CO SNAP RING SB 81 | | |
| 17. | 8.3.2.00409 | CO FLAT WASHER 25 X 44 X 4 | | |
| 18. | 8.2.2.01144 | NUT CASTLE M 24 X 2 | | |
| 19. | 8.4.7.00516 | CO COTTER PIN B5 X 50 | | |
| 20. | A244.501 | CO SHIM 40.3 X 51.5 826-067C | | |
| 21. | 0.195.5000.00 | CO PINION Z12 M4.7 | | |
| 22. | 822-166C | BEARING BALL 6207 | | |
| 23. | 8.7.3.00055 | CO OIL SEAL 35 X 72 X 10 | | |
| 24. | 0.195.6000.00 | CO CROWN GEAR Z33 M4.7 | | |
| 25. | U0.195.7101.00 | CO OIL LEVEL PLUG 3/8" GAS | | |

Hydraulic Arrangement

Applies to AFM4014 and AFM40168




Table of Contents Part Number Index

Hydraulic Arrangement

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---------------|-----------------------------|
| | dwg13562 | Drawing Image Number | | |
| 1. | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| 2. | 811-447C | ORPL 1/32 9/16MORB | (S/N 234494-) | |
| 3. | 811-445C | HH1/4R2 035 9/16FJIC 3/8MORB90 | | |
| 4. | 811-444C | HH1/4R2 020 9/16FJIC 3/8MORB90 | | |
| 5. | 811-442C | HH1/4R2 028 9/16FJIC | | |
| 6. | 811-443C | HH1/4R2 036 9/16FJIC | | |
| 7. | 811-065C | EL 9/16MJIC 9/16MORB | (S/N 234477+) | Rev. 2 not compat. w/Rev. 1 |
| 7. | 811-332C | OREL 1/32 9/16MJIC 3/8MNPT | (S/N 234476-) | Rev. 1 |
| 8. | 811-065C | EL 9/16MJIC 9/16MORB | (S/N 234477+) | Rev. 2 not compat. w/Rev. 1 |
| 8. | 811-119C | EL 3/8MNPT 9/16MJIC | (S/N 234476-) | Rev. 1 |
| 9. | 810-200C | CYL 2.5X8X1.12 ROD (TIE)1 PIN | (S/N 234477+) | Rev. 2 not compat. w/Rev. 1 |
| 9. | 810-005C | CYL 2X8X1.12 ROD SINGLE ACTING | (S/N 234476-) | Rev. 1 |
| | 811-394C | CP 3/4FORB MALE QD | | |
| 11. | 811-441C | HH1/4R2 096 9/16FJIC 3/4 MORB | | |
| 12. | 802-451C | HHCS 1/4-20X4 GR5 | | Rev. 2 |
| 12. | 802-308C | HHCS 1/4-20X3 1/4 GR5 | | Rev 1; Use up stock |
| 13. | 804-006C | WASHER LOCK SPRING 1/4 PLT | | |
| 14. | 803-006C | NUT HEX 1/4-20 PLT | | _ |
| 15. | 315-743D | SPCR 1/2 OD X .28ID X 1 3/8 | | Rev. 2 |
| 15. | 315-492D | SPCR 1/2 OD X .28 ID X 5/8 | | Rev 1; Use up stock |
| 16. | 811-170C | AD 9/16MORB 9/16MJIC | | |
| 17. | 811-495C | SP-8 PORT RELIEF 9/16-18FORB | | |
| 18. | 800-060C | CABLE TIE .19X14.25 3DIA 50LB | (0) (-00-0) | |
| 19. | 807-023C | SPRING HOSE LOOP | (SN 176350+) | |
| 20. | 802-079C | HHCS 3/8-16X1 1/4 GR5 | (SN 176350+) | |
| 21. | 804-012C | WASHER FLAT 3/8 SAE PLT | (SN 176350+) | |
| 22. | 804-013C | WASHER LOCK SPRING 3/8 PLT | (SN 176350+) | |
| 23. | 803-014C | NUT HEX 3/8-16 PLT | (SN 176350+) | D 0 |
| 24. | 8026 | SHMKR CRTRDG RELIEF VALVE ASSY | | Rev. 2 |
| 24. | 1497 | RPBY 8026 | | Rev 1; Use up stock |
| 25. | 805-004C | PIN CLEVIS 1 X 2 3/4 USABLE LG | | Day 0 |
| 26. | 805-088C | PIN, HAIR COTTER 3/16 WIRE DIA | | Rev. 2 |
| 21. | 811-694C | ORAD 1 | | Rev 1; Use up stock |

Table of Contents

Applies to AFM4014 and AFM40168





Table of Contents Part Number Index

Hydraulic Cylinder (810-005C)

| Re£ | Part No. | Part Description | Comments | Revision |
|-----|----------|--------------------------------|----------------------------|----------|
| | dwg14078 | Drawing Image Number | | |
| | 810-005C | CYL 2X8X1.12 ROD SINGLE ACTING | | |
| 1. | A-2526 | EGY PISTON ROD | | |
| 2. | | BACKUP RING 2" OD | Only found in seal kit 13. | |
| 3. | | WIPER ROD | Only found in seal kit 13. | |
| 4. | | O-RING 1 1/8" ID X 1 3/8"OD | Only found in seal kit 13. | |
| 5. | A-1906 | EGY PISTON ROD GUIDE | | |
| 6. | B-988 | EGY CYLINDER BODY | | |
| 7. | | O-RING 1 5/8" ID X 2"OD | Only found in seal kit 13. | |
| 8. | | O-RING 3/4" ID X 7/8" OD | Only found in seal kit 13. | |
| 9. | A-1845 | EGY PISTON | | |
| 10. | 82464 | EGY 7/8-14UNF REG HEX LOCK NUT | | |
| 11. | 83198 | EGY RETAINER RING INTERNAL | | |
| 12. | | BACKUP RING 1 3/8" OD | Only found in seal kit 13. | |
| 13. | 810-012C | CYL SEAL KIT 2 X 8 (ENERGY) | | |
| 14. | 805-004C | PIN CLEVIS 1 X 2 3/4 USABLE LG | | |

Table of Contents

Applies to AFM4014 and AFM40168




Hydraulic Cylinder (810-150C) Cross

| Ref. | Part No. | Part Description | Comments | Revision |
|------|--------------|-------------------------------|----------------------------|----------|
| | dwg11421 | Drawing Image Number | | |
| _ | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| 1. | 1D1505-3 | BASE CROSS | | |
| 2. | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| 3. | | O-RING | Only found in seal kit 19. | |
| 4. | 2A0578-1675 | TIE ROD CROSS | | |
| 5. | 1D0005-1450 | TUBE CROSS | | |
| 6. | 2A0079-616 | CROSS SCREW, CAP | | |
| 7. | 1D1551-16275 | CROSS CLEVIS PIN | | |
| 8. | 2A0308-1 | REP BY 805-032C | | |
| 9. | 1D1003-5 | CROSS ROD CLEVIS | | |
| 10. | 2A0235-6 | CROSS NUT, CLEVIS & TIE ROD | | |
| 11. | 1D0206-1675 | ROD CROSS | | |
| 12. | | WIPER | Only found in seal kit 19. | |
| 13. | | BACKUP ROD | Only found in seal kit 19. | |
| 14. | | O-RING | Only found in seal kit 19. | |
| 15. | 1D1155-17 | HEAD CROSS | • | |
| 16. | | BACKUP PISTON | Only found in seal kit 19. | |
| 17. | 1D1401-250 | PISTON CROSS | - | |
| 18. | 2A0246-12 | CROSS NUT, PISTON | | |
| 19. | 810-178C | SEAL KIT CROSS 2.5 CYL 1C4982 | | |

Hydraulic Cylinder (810-150C) Midway

Applies to AFM4014 and AFM40168




Hydraulic Cylinder (810-150C) Midway

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|----------------------------|----------|
| | dwg11421 | Drawing Image Number | | |
| | 810-150C | CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| 1. | 6M3118 | MW BASE | | |
| 2. | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| 3. | | O-RING | Only found in seal kit 19. | |
| 4. | 7M3320 | MW TIE | ROD | |
| 5. | 5M3120 | MW TUBE | | |
| 6. | 2A0006 | REPL. BY 802-023C | | |
| 7. | 2A0208 | MW CLEVIS PIN | | |
| 8. | 2A0132 | MW PIN CLIP | | |
| 9. | 1M6010 | MW CLEVIS STD. DUTY | | |
| 10. | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| 11. | 2M3418 | MW ROD | | |
| 12. | | WIPER | Only found in seal kit 19. | |
| 13. | | BACKUP ROD | Only found in seal kit 19. | |
| 14. | | O-RING | Only found in seal kit 19. | |
| 15. | 3M3406 | MW HEAD | | |
| 16. | | BACKUP PISTON | Only found in seal kit 19. | |
| 17. | 4M3102 | REPL. BY 4M3108 | | |
| 18. | 2A0022 | MW NUT, PISTON | | |
| 19. | 810-177C | SEAL KIT MW 2.5X1.25ROD 3A3104 | | |

Hydraulic Cylinder (810-150C) Red Lion

Applies to AFM4014 and AFM40168




Hydraulic Cylinder (810-150C) Red Lion

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------------------|---|-----------------------|----------|
| | dwg25899 810-150C | Drawing Image Number CYL 2.5X12X1.25 ROD (TIE ROD) | | |
| 1. | 803-014C | NUT HEX 3/8-16 PLT | | |
| 2. | 130556 | MON PISTON NUT | | |
| 3. | 134953 | LION PIN | | |
| 4. | 135995 | MON CLEVIS PIN COTTER | | |
| 5. | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| 6. | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| 7. | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| 8. | N/A | MON PISTON SEAL | Only Found in Kit #20 | |
| 9. | N/A | MON END CAP BACKUP WASHERS | Only Found in Kit #20 | |
| 10. | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| 11. | N/A | SEAL WIPER ROD | Only Found in Kit #20 | |
| 12. | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| 13. | 491672 | LION CYL TUBE 2.5 X 12 | | |
| 14. | 492222 | LION TIE ROD 3/8, 12 CYL | | |
| 15. | 492647 | LION ROD 1.25 X 12 | | |
| 16. | 492650 | LION ROD CLEVIS 1 1/8-12UNF | | |
| 17. | 492688 | LION CLEVIS CAP 2.5, 9/16 ORB | | |
| 18. | 492724 | LION ROD CAP 2.5X1.25 9/16 ORB | | |
| 19. | 494768 | MON PISTON | | |
| 20. | 645004 | MON SEALS REPAIR KIT | | |

Hydraulic Cylinder (810-200C) Midway

Applies to AFM4014 and AFM40168




Hydraulic Cylinder (810-200C) Midway

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|-------------------------------|-----------------------------------|----------|
| | dwg10219 | Drawing Image Number | | |
| | 810-200C | CYL 2.5X8X1.12 ROD (TIE)1 PIN | | |
| 1. | 5M4124 | MW TUBE 3 X 16 CYLINDER | | |
| 2. | 2M4422 | MW ROD 1-1/4 DIA. X 16 STROKE | | |
| 3. | 1M6010 | MW CLEVIS STD. DUTY | | |
| 4. | 2A0012 | MW NUT CLEVIS & TIE ROD | | |
| 5. | 2A0006 | REPL. BY 802-023C | | |
| 6. | 7M4324 | MW TIE ROD 3 X 16 CYLINDER | | |
| 7. | 2A0014 | MW TIE ROD NUT | | |
| 8. | 3M4410 | REPL. BY 3R1410 | | |
| 9. | | O-RING | Only found in seal kit 19 | |
| 10. | | BACK-UP | Only found in seal kit 19 | |
| 11. | | WIPER SEAL | Only found in seal kit 19 | |
| 12. | | O-RING | Only found in seal kit 19 | |
| 13. | 4M4104 | MW PISTON 3" DIA. | | |
| 14. | 6M4152 | REP BY 6R1146 | | |
| 15. | 2A0024 | MW PISTON NUT 1"-14 | | |
| 16. | | BACK-UP | Only found in seal kit 19 | |
| 17. | 2A0208 | MW CLEVIS PIN | | |
| 18. | 2A0132 | MW PIN CLIP | | |
| 19. | 810-210C | SEAL KIT MW 2.5 CYL 3A3102 | 2nd revision | |
| 19. | 810-119C | RPBY 810-210C | Use up existing stock; revision 1 | |

Hydraulic Cylinder (810-200C) Red Lion

Applies to AFM4014 and AFM40168




25901

Hydraulic Cylinder (810-200C) Red Lion

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------------------|---|-----------------------|----------|
| | dwg25901 810-200C | Drawing Image Number CYL 2.5X8X1.12 ROD (TIE)1 PIN | | |
| 1. | 803-014C | NUT HEX 3/8-16 PLT | | |
| 2. | 130556 | MON PISTON NUT | | |
| 3. | 134953 | LION PIN | | |
| 4. | 135995 | MON CLEVIS PIN COTTER | | |
| 5. | 801-023C | SCREW SET SH 3/8-16X3/8 TYPE C | | |
| 6. | 186561 | PLUG 9/16-18UNF MORB SOCKET HD | | |
| 7. | N/A | MON ROD SEAL | Only Found in Kit #20 | |
| 8. | N/A | MON PISTON SEAL | Only Found in Kit #20 | |
| 9. | N/A | MON END CAP BACKUP WASHERS | Only Found in Kit #20 | |
| 10. | N/A | MON END CAP O-RING | Only Found in Kit #20 | |
| 11. | N/A | LION WIPER SEAL | Only Found in Kit #20 | |
| 12. | N/A | MON PISTON WEAR RING | Only Found in Kit #20 | |
| 13. | 491668 | LION CYL. TUBE 2.5 X 8 | | |
| 14. | 492218 | LION TIE ROD 3/8, 8 CYL | | |
| 15. | 492650 | LION ROD CLEVIS 1 1/8-12UNF | | |
| 16. | 492688 | LION CLEVIS CAP 2.5, 9/16 ORB | | |
| 17. | 492699 | LION ROD 1.125 ASAE 8 | | |
| 18. | 492711 | LION ROD CAP 2.5X1.125-9/16ORB | | |
| 19. | 494768 | MON PISTON | | |
| 20. | 645004 | MON SEALS REPAIR KIT | | |

Label Placement

Applies to AFM4014 and AFM40168




17591

Label Placement

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|--------------------------------|-----------------------------|
| | dwg17591 | Drawing Image Number | | |
| 1. | 818-920C | DECAL AFM4014-BROWN | (S/N 253841+) Beige Unit | Rev. 3 not compat. w/Rev. 2 |
| 1. | 838-901C | DECAL AFM4014-GOLD | Green, Orange, Red & Blue Unit | |
| 1. | 818-712C | DECAL AFM4014 LP BLACK | (S/N 231068 <-> 253840) | Rev. 2 not compat. w/Rev. 1 |
| 1. | 818-535C | DECAL AFM40168 LP- BLACK | (S/N 231067-) | |
| 2. | 818-560C | DECAL NOTICE TO OWNER-NO WARRA | | Rev. 2 not compat. w/Rev. 1 |
| 2. | 818-559C | DECAL NOTICE TO OWNER-WARRANTY | | Rev. 1 |
| 3. | 818-298C | DECAL GREASE 25HRS BLACK/WHITE | | |
| 4. | 818-138C | DECAL GREASE EVERY 25 HOURS | | |
| 5. | 818-565C | DECAL DRIVELINE TIMING N/CLTCH | | |
| 6. | 818-190C | DECAL FLAG | | |
| 7. | 818-892C | DECAL LP W/TREE 10" - 3 COLOR | (S/N 253841+) Beige Unit | Rev. 2 not compat. w/Rev. 1 |
| 7. | 838-963C | DECAL LP 10" W/TREE BROWN/GOLD | Green, Orange, Red & Blue Unit | |
| 7. | 818-165C | LP LOGO SMALL BUCKSKIN | (S/N 253840-) | Rev. 1 |
| 8. | 818-488C | DECAL PTO MAINTENANCE CV | | |
| 9. | 818-515C | DECAL PTO 826-143C | | |
| 10. | 818-249C | DECAL PTO 826-064C | | |
| 10. | 818-405C | DECAL GREASE PTO 826-111C | | |
| 11. | 818-520C | DECAL PTO 826-145C | | |
| 11. | 818-519C | DECAL PTO 826-144C | | |
| 12. | 818-560C | DECAL NOTICE TO OWNER-NO WARRA | (S/N 211783+) | |
| 13. | 838-036C | DECAL LANDPRIDE 6"- BEIGE | (S/N 253841+) Beige Unit | Rev. 2 not compat. w/Rev. 1 |
| 13. | 838-967C | DECAL LANDPRIDE 6" BROWN/GOLD | Green, Orange, Red & Blue Unit | |
| 13. | 818-165C | LP LOGO SMALL BUCKSKIN | (S/N 253840-) | Rev. 1 |
| 14. | 818-862C | DECAL 5 YEAR GEARBOX WARRANTY | | |

Safety Label Placement

Applies to AFM4014 and AFM40168



11117

Table of Contents Part Number Index

Safety Label Placement

| Ref. | Part No. | Part Description | Comments | Revision |
|------|----------|--------------------------------|---------------------------------------|----------|
| | dwg11117 | Drawing Image Number | | |
| 1. | 818-552C | DECAL DANGER PTO DRIVELINE | | |
| 2. | 818-540C | DECAL DANGER GUARD MISS PTO | | |
| 3. | 818-230C | DECAL RED REFLECTOR | | |
| 4. | 818-187C | DECAL DANGER DRIVELINE SHIELD | | |
| 5. | 818-513C | DECAL VB INST CCW C&RH 200/168 | | |
| 6. | 818-555C | DECAL DANGER ROTATE BLADE | | |
| 7. | 818-229C | DECAL AMBER REFLECTOR | | |
| 8. | 818-351C | DECAL CAUTION TRANSP LOCK ENGD | | |
| 9. | 818-514C | DECAL VB INST CW FDR72/200/168 | | |
| 10. | 818-353C | DECAL CAUTION TRANSP LOCK DISE | | |
| 11. | 818-130C | DECAL CAUTION 540 RPM | | |
| 12. | 818-337C | DECAL WARNING 20 MPH TRANS SML | | |
| 13. | 818-556C | DECAL DANGER THROWN OBJ CUTTER | | |
| 14. | 818-557C | DECAL DANGER CANNOT READ ENG | | |
| 15. | 818-055C | DECAL SLOW MOVING-GALV. BACKED | | |
| 16. | 818-019C | DECAL WARNING NEG TONGUE WT | | |
| 17. | 818-339C | DECAL WARNING HIGH PRESSUR SML | | |
| 18. | 818-558C | DECAL WARNING GEN SAFE MOWER | | |
| 19. | 818-561C | DECAL DANGER RAISED WING HAZAR | | |
| 20. | 818-045C | DECAL WARNING PINCH PT/CRUSH | | |
| 21. | 818-543C | DECAL DANGER PD GUARD MISS SML | Beneath all belt guards (S/N 253841+) | |

Part Number Index



The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.

| Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page |
|-----------------|-----------------|------------------|------------|---------------------|--------------------|-------------------|----------------|
| 0.107.7100.01 . | 77 | 05-002 | 75 81 93 | 1006830 | 29 | 1774335 | 19 |
| 0.140.1300.00 | | 05-002 | | 1006831 | | 1783016 | |
| 0.151.0300.00 | | 05-005 | | 1006865 | | | 19, 23, 31, 35 |
| 0.151.2000.00 | | 050170 | | 1014010 | | 1784211 | |
| 0.151.2001.00 | | 050172 | | 1014012 | | 1784212 | , |
| 0.151.5201.00 | | 050195 | | 1014113 | | 1786710 | |
| 0.151.6208.00 . | | 050197 | | | 55, 57, 59, 81, 93 | 1786711 | |
| 0.195.0300.00 | | 0511421-710 | | 11-021 | | 1786801 | |
| 0.195.1300.00 . | | 051172600710 | | 110009 | | 18-033 | |
| 0.195.2000.00 . | | 051551 | 39 | 110192 | | 18-035 | 81, 93 |
| 0.195.5000.00 . | | 052511 | | 1114010 | | 1806010 | |
| 0.195.6000.00 . | | 053314 | 25, 37, 39 | 1134011 | 43 | 186561 | 107, 111 |
| 0.241.5001.00 . | 77 | 053968 | 33 | 1134012 | 43 | 1872049 | 31 |
| 0.242.2101.00 . | 77 | 06-012 | 75, 81, 93 | 1136006 | 41 | 1872064 | 19 |
| 0.242.7200.00 . | 77 | 060127 | 85, 87, 95 | 1136007 | 41 | 1872901 | 23 |
| 0.256.1314.00 . | 77 | 060128 | 85, 87, 95 | 1136008 | 41, 43 | 1872905 | 35 |
| 0.257.0505.00 . | 77 | 060133 | | 1136009 | 41 | 1873049 | 31 |
| 0.257.1742.00 . | 77 | 060134 | 79 | 1136010 | 41, 43 | 1873064 | |
| 0.257.1743.00 . | 77 | 07-001 | | 12-003 | 81, 93 | 1873901 | 23 |
| 0.259.7525.00 . | 89, 97 | 07-007 | | 12-006 | | 1873905 | |
| 0.267.4212.00 . | | 070218 | | 120050 | , , | 1876902 | |
| 0.278.7103.00 . | | 070219 | | 120126 | | 1877902 | |
| 0.286.7100.00 . | | 070220 | | 1213233 | -, | 1883013 | -, - |
| 010175 | | 070246 | | 1215733 | | 1883014 | |
| 010180 | | 070247 | 85, 87, 95 | 1215735 | | 1883230 | |
| 010252 | | 070248 | | 1216907 | * | 1883231 | |
| 019519 | | 070249 | | 1216914 | | | 19, 23, 31, 35 |
| 02-034 | | 070250 | | 130006 | | | 19, 23, 31, 35 |
| 02-035 | | 070251 | | 130028 | | | 19, 23, 31, 35 |
| 02-061 | | 070252 | | 130146 | | | 19, 23, 31, 35 |
| 02-062 | | 070253 | | 130556 | , | 1884346 | |
| 020164 | | 08-005A | | 134953 | | 1884348 | |
| 020166 | | 08-005B | | 135995 | | 1885702 | |
| | 85, 87, 95 | 08-027 | | 140000 | | 1885709 | |
| 020225 | 85, 87, 95 | 08-028 08-029 | | 140004 140017 | | 1886802 196837 | |
| 020614 | , | 08-030 | | 140017 | , , | 196839 | * |
| 020617 | | 08-031 | | 140047 | | 1D0005-1450 | |
| 020672 | | 0826-064C | | 140055 | | 1D0005-1430 | |
| 020692 | | 086584 | | 1466000 | | 1D1003-5 | |
| 03-067 | | 087276 | | 1466001 | | 1D1155-17 | |
| 03-074 | | 087279 | | 1466305 | | 1D1401-250 | |
| 03-075 | | 09-009 | | 1466607 | | 1D1505-3 | |
| | 85, 87, 95 | 09-011 | , | 1497 | , | 1D1551-16275 | |
| | 85, 87, 95 | 09-012 | | 1524057 | | 1M6010 | |
| 030467 | | 09-013 | | 1524072 | | 20-003 | |
| 030512 | 79 | 090099 | 79 | 1524902 | 23 | 20-028 | 75 |
| 04-003 | 81, 93 | 090179 | 85, 87, 95 | 1524905 | 35 | 20-029 | 75 |
| 04-004 | 81, 93 | 090180 | 85, 87, 95 | 1525057 | 31, 35 | 20-031 | 81, 93 |
| 04-018 | 75 | 090181 | 85, 87, 95 | 1525072 | 19, 23 | 200000 | 85, 87, 95 |
| 040335 | 85, 95 | 090182 | 85, 87, 95 | 1534306 | 31 | 200140 | 85, 87, 95 |
| 040343 | 79 | 090183 | 85, 87, 95 | 1534308 | 19 | 200141 | 79, 85, 87, 95 |
| 040345 | 79 | 090184 | | 1534320 | 31 | 200142 | |
| 040491 | 87 | 090185 | | 1534322 | 19 | 21-012 | 81, 93 |
| 041065 | | 090186 | | 1546096 | | 240280 | |
| 041068 | | 090187 | | 1548900 | | 2A0006 | |
| 041180 | | 090188 | | 15500000037 | | 2A0012 | |
| 041576 | | 090341 | | 1581036 | | 2A0014 | |
| 041577 | | 1.195.7100.00 | | 168556 | | 2A0022 | |
| 043489 | | 10-042 | | 1704027 | | 2A0024 | |
| 044321 | 19, 21, 23, 25, | 10-097 | , | 1704029 | | 2A0079-616 | |
| | 27, 29, 31, 33, | 100001 | | 1705009 | | 2A0132 | |
| 044400 | 35, 37 | 1004020 | | 1706029 | | 2A0208 | |
| 044439 | | 1004220 | | 1706065 | | 2A0235-6 | |
| 044444 | | 1004224 | | 1706085 | | 2A0246-12 | |
| 045790 | | 1004225 | | 172-242D | | 2A0308-1 | |
| 045793 | | 1004229 | | 172758 | | 2A0578-1675 | |
| 047680 | | 1006020 | | 175-060D | | 2L363-17702-01 | |
| 047825 | | 1006803 | | 175-061D 1774333 | | 2M3418 2M4422 | |
| 048950 | | 1006827 | ∠∂ | 111700 | | ZIVITTZZ | 100 |

Table of Contents Part Number Index



Part Number Index (continued)

| Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page |
|----------------------|----------------|--------------------------|------------|------------------|--------------------|----------------------------|--------------------|
| 30-449S6B | 15 | 315-2498 | 45. 47. 53 | 315-478D | 55 | 492107 | 65. 70 |
| 304149 | | 315-272H | | 315-484D | | 492218 | |
| 310-041D | | 315-273H | | 315-487D | 7 | 492222 | 107 |
| 310-090H | | 315-274H | | 315-488H | 70 | 492647 | 107 |
| 310-094H | 45, 47, 49, 51 | 315-279H | 57, 59 | 315-489H | 70 | 492650 | 107, 111 |
| 310-095H | 45, 47, 49, 51 | 315-279H81 | 57, 59 | 315-490H | 70 | 492688 | 107, 111 |
| 310-100S | 63, 67 | 315-279H82 | 57, 59 | 315-492D | 99 | 492699 | 111 |
| 310-132S | 49 | 315-279H83 | 57, 59 | 315-493D | 45, 47 | 492711 | |
| 310-139S | 49 | 315-279H84 | 57, 59 | 315-494D | 45, 47 | 492724 | |
| 310-176D | | 315-280H | | 315-495A | | 494768 | |
| 310-224D | | 315-280H81 | | 315-562D | | 4M3102 | |
| 310-249D | | 315-280H82 | | 315-563D | | 4M4104 | |
| 310-250D | | 315-280H83 | | 315-564D | | 50069S6LPY34RB. | |
| 310-251D | | 315-280H84 | | 315-565D | | 506-4R-I | |
| 310-252D | | 315-283H | | 315-566D | | 5180211 | |
| 310-280D | | 315-283H81 | | 315-619D | | 518081 | |
| 310-300D | | 315-283H82 | | 315-733D | | 53-164 | |
| 310-312D | | 315-283H83 | | 315-736D | | 53-180 | |
| 310-319H | | 315-283H84 | | 315-743D | | 53-189 | |
| 310-331D | | 315-284H | | 315-753D | | 5M3120 | |
| 310-348S | | 315-284H81 | | 315-754D | | 5M4124 | |
| 310-359D | | 315-284H82 | | 315-768D | | 6040816 | |
| 310-361D 310-533D | | 315-284H83 | | 315-821D | | 6041016 | |
| 310-636D | | 315-284H84 315-285H | | 316201 338531 | | 6280313 | |
| 312410 | | 315-265H | | 341586 | | 6330855 6330860 | |
| 315-037V | | 315-343S | | 341953 | | 6330865 | |
| 315-098H | | 315-344S | | 342221 | | 6331070 | , |
| 315-103H | | 315-369H | | 355154 | | 6331080 | |
| 315-133H | | 315-375S | | 355155 | , | 645004 | |
| 315-139H | | 315-377S | | 364859 | | 6560006 | , |
| 315-169S | | 315-383H | | | | 6821279 | |
| 315-176S | | 315-384H | | 365722 | | 6M3118 | |
| 315-179H | | 315-409D | | 377234 | | 6M4152 | |
| 315-180H | 9 | 315-413H | 69 | 377240 | 25, 37 | 7M3320 | 105 |
| 315-182H | 13 | 315-413H81 | 69 | 377335 | 21, 33 | 7M4324 | 109 |
| 315-183H | 7 | 315-413H82 | 69 | 377336 | 27 | 8.0.1.00870 | 77, 83, 91 |
| 315-186H | 7, 13 | 315-413H83 | 69 | 377340 | 21 | 8.0.9.00024 | 83, 91 |
| 315-187H | 17 | 315-413H84 | 69 | 380371 | 25, 27, 37 | 8.0.9.00026 | 77, 83, 89, 91, 97 |
| 315-195H | | 315-414H | | 380882 | | 8.0.9.00102 | |
| 315-196H | | 315-414H81 | | 380905 | | 8.1.1.00045 | |
| 315-197H | | 315-414H82 | | 380906 | | 8.1.1.00073 | |
| 315-198H | | 315-414H83 | | 380907 | | 8.1.1.00343 | |
| 315-199H | | 315-414H84 | | 381178 | | 8.1.1.00501 | |
| 315-218\$ | | 315-415H | | 381495 | | 8.2.2.01144 | |
| 315-219S 315-228H | | 315-415H81 315-415H82 | | 381908 381957 | | 9 2 2 00400 | 89, 91, 97 |
| 315-229H | | 315-415H83 | | 382694 | | 8.3.2.00409 8.3.3.00384 | |
| 315-230H | | 315-415H84 | | 382877 | | 8.3.6.00020 | |
| 315-231H | | 315-416H | | 382878 | | 8.4.1.00021 | |
| 315-232H | | 315-417H | | 383231 | | 8.4.1.01141 | |
| 315-233H | | 315-417H81 | | 384954 | | 8.4.7.00516 | |
| 315-234H | | 315-417H82 | | 385954 | | 8.5.1.00005 | |
| 315-234H81 | | 315-417H83 | | 386083 | | 8.5.1.00680 | |
| 315-234H82 | | 315-417H84 | | 386488 | | 8.5.2.00131 | |
| 315-234H83 | | 315-418S | | 387266 | | 8.5.3.00955 | |
| 315-234H84 | | 315-418S81 | | 387332 | | 8.6.5.00006 | |
| 315-235H | | 315-418S82 | 65 | 390186 | 27 | 8.6.7.00269 | |
| 315-236H | 67 | 315-418S83 | 65 | 390289 | 25 | 8.7.0.00744 | 83, 89, 91, 97 |
| 315-237D | 65 | 315-418S84 | 65 | 390404 | 21, 25, 27, 33, 37 | 8.7.3.00027 | 83, 91 |
| 315-237H | 67 | 315-420H | 7 | 390486 | 33 | 8.7.3.00055 | 77, 83, 89, 91, 97 |
| 315-238H | 57, 59 | 315-422H | 65 | 392042 | 37 | 8.7.3.00071 | 77 |
| 315-239H | 55 | 315-422H81 | 65 | 392043 | 37 | 8.7.3.00081 | 89, 97 |
| 315-240H | 63 | 315-422H82 | 65 | 392044 | | 800-001C | |
| 315-241H | 67 | 315-422H83 | 65 | 392050 | 25 | 800-060C | 99 |
| 315-245D | | 315-422H84 | | 392052 | | 800-075C | |
| 315-246D | | 315-448H | | 3M3406 | | 800-080C | |
| 315-247D | | 315-450H | | 3M4410 | | 800-099C | |
| 315-247S | | 315-454E | | 401-372D | | 800-130C | |
| 315-248D | | 315-455E | | 491668 | | 800-136C | |
| 315-248S | 49, 51, 53 | 315-460A | 9 | 491672 | 107 | 800-157C | 47, 51 |
| | | | | | | | |

Part Number Index (continued)



| Part Number | Page | Part Number | Page | Part Number | Page | Part Number | Page |
|-------------|--------------------|-------------|--------------------|-------------|-----------------|-------------|----------------|
| 800-163C | 61 | 803-228C | 45, 47 | 814-070C | 63, 67, 73 | 826-097C | 17, 77 |
| 800-193C | | 803-231C | | 814-100C | | 826-111C | |
| 801-018C | | 803-293C | | 814-114C | | 826-121C | |
| 801-023C | | 804-006C | | 814-118C | | 826-122C | |
| | | 804-007C | | 814-193C | | 826-141C | |
| 801-032C | | | | | | | |
| 802-005C | | 804-009C | | 814-272C | | 826-143C | |
| 802-017C | | 804-012C | | 815-052C | | 826-144C | |
| 802-034C | 17 | 804-013C | | 815-104C | | 826-145C | 17, 31, 33 |
| 802-038C | 17 | 804-014C | 45, 47, 49, 51 | 816-014C | 15, 65, 69 | 826-205C | 55, 59, 85 |
| 802-041C | 61 | 804-015C | 7, 13, 17, 55, 57, | 816-063C | 45, 47, 49, 51 | 826-206C | 57, 95 |
| 802-058C | 67 | | 59, 63, 65, 67, 69 | 816-088C | 15 | 826-274C | |
| 802-060C | | 804-016C | 7, 9, 17, 55, 57, | 816-504C | | 826-295C | |
| 802-079C | | 0010100 | 59, 63, 65 | 817-028C | | 826-296C | |
| | | 804-019C | | | | 826-326C | |
| 802-091C | 7, 13, 55, 57, 59, | | | 817-050C | | | |
| | 63, 65, 67, 69 | 804-021C | , , | 817-082C | | 826-326C81 | |
| 802-095C | | 804-022C | 45, 47, 49, 51, | 817-151C | | 826-326C82 | |
| 802-097C | 57, 59 | | 53, 55, 57, 59, 67 | 817-152C | 63, 65, 67 | 826-326C83 | 57 |
| 802-099C | 9, 70 | 804-023C | 9 | 817-192C | 61 | 826-326C84 | 57 |
| 802-100C | 55, 57, 59 | 804-024C | 9 | 817-195C | 61 | 826-327C | 55, 59, 89 |
| 802-114C | | | 15, 45, 49, 65, 69 | 817-259C | | 826-327C81 | 55 59 |
| 802-115C | | 804-028C | | 818-019C | | 826-327C82 | , |
| 802-125C | | | 7, 13, 55, 57, 59 | 818-045C | | 826-327C83 | |
| | | | | | | | |
| 802-152C | | 804-093C | | 818-055C | | 826-327C84 | |
| 802-159C | | 804-110C | | 818-130C | | 826-370C | |
| 802-203C | | 804-113C | | 818-138C | | 826-371C | |
| 802-205C | 9 | 805-004C | 7, 99, 101 | 818-165C | 113 | 826-374C | 17, 35 |
| 802-226C | 17 | 805-015C | 65, 69 | 818-187C | 115 | 827-001C | 63, 65, 67 |
| 802-229C | 45. 47. 49. 51 | 805-017C | 7, 13, 55, 57, 59 | 818-190C | 113 | 83198 | 101 |
| 802-233C | | | 7, 13, 15, 65, 69 | 818-229C | | 838-036C | |
| 802-235C | , | 805-065C | | 818-230C | | 838-901C | |
| | | | | | | | |
| 802-239C | | 805-081C | | 818-249C | | 838-963C | |
| 802-246C | | 805-088C | , | 818-298C | | 838-967C | |
| 802-258C | | 805-109C | | 818-337C | | 890-005C | |
| 802-280C | 9 | 805-126C | 63, 67 | 818-339C | 115 | 890-068C | 15, 65, 69 |
| 802-281C | 45, 47, 49, 51 | 805-131C | 7, 13 | 818-351C | | 890-118C | 9 |
| 802-283C | 9 | 805-161C | 63. 65 | 818-353C | 115 | 890-122C | 57. 59 |
| 802-305C | | 805-177C | | 818-405C | | 890-171C | |
| 802-308C | | 805-255C | | 818-488C | | 890-182C | , |
| 802-345C | | 806-023C | | 818-513C | | 890-202C | |
| | | | | | | | |
| 802-360C | | 807-023C | | 818-514C | | 890-204C | , |
| 802-384C | | 807-026C | | 818-515C | | 890-266C | |
| 802-447C | | 807-068C | , , , | 818-519C | | 890-278C | |
| 802-451C | | 807-176C | 55 | 818-520C | 113 | 890-332C | 11 |
| 802-567C | 45, 47, 49, 51 | 808-073C | 45, 47, 49, 51, 53 | 818-535C | 113 | 890-337C | 11 |
| 802-689C | 17 | 808-074C | 45. 47. 49. 51 | 818-540C | 19, 21, 23, 25, | 890-375C | 49. 51 |
| 802-695C | | 808-075C | -, , -, - | | 27, 29, 31, 33, | 890-377C | , |
| 802-696C | | 808-126C | | | 35, 37, 115 | 890-378C | |
| | | | , , | 040 5400 | | 890-379C | , |
| 8026 | | 808-335C | | 818-543C | | | |
| 803-005C | | 810-005C | | 818-552C | 19, 21, 23, 25, | 890-589C | |
| 803-006C | -, -, | 810-012C | | | 27, 29, 31, 33, | 890-614C | |
| 803-007C | 7, 13, 57, 59 | 810-119C | | | 35, 37, 115 | 890-702C | 49, 51 |
| 803-011C | 13 | 810-150C | 13, 99, 103, 105, | 818-555C | 115 | 890-703C | 45, 47 |
| 803-013C | 65, 69 | | 107 | 818-556C | 115 | 9190601 | 29 |
| 803-014C | 45, 47, 49, 51, | 810-177C | 105 | 818-557C | | 95316 | |
| | 61, 99, 107, 111 | 810-178C | | 818-558C | | 95360NA | |
| 803-018C | | | 7, 99, 109, 111 | 818-559C | | 990-109R | |
| | , | | | | | | |
| 803-019C | | 810-210C | | 818-560C | | A-1845 | |
| 803-020C | 13, 17, 55, 57, | 811-065C | | 818-561C | | A-1906 | |
| | 59, 63, 65, 67, 69 | 811-119C | 99 | 818-565C | | A-2526 | 101 |
| 803-021C | 67 | 811-170C | 99 | 818-712C | 113 | A.244.500 | 83, 91 |
| 803-022C | 53, 55, 57, 59 | 811-332C | 99 | 818-862C | 113 | A.248.500 | 83, 89, 91, 97 |
| 803-027C | | 811-394C | | 818-892C | | A.259.500 | |
| 803-037C | | 811-441C | | 818-920C | | A244.501 | |
| 803-037C | | | | | | B-988 | |
| | | 811-442C | | 822-006C | | | |
| 803-053C | | 811-443C | | 822-030C | | B0-47 | |
| 803-114C | | 811-444C | | 822-080C | | BF-1506 | |
| 803-115C | 45, 47, 49, 51 | 811-445C | 99 | 822-161C | 45, 47, 49, 51 | dwg10219 | |
| 803-119C | 45, 47, 49, 51 | 811-447C | 99 | 822-166C | 77, 81, 83, 89, | dwg10600 | 39 |
| 803-148C | | 811-495C | | | 91, 93, 97 | dwg11117 | |
| 803-159C | | 811-694C | | 82464 | | dwg11421 | |
| 803-169C | | 814-052C | | 826-064C | | dwg11787 | |
| 300 .000 | | | | | , = . | ug | |



Part Number Index (continued)

| Part Number | Page |
|----------------|--------|
| | |
| dwg12760 | 91 |
| dwg13449 | 25 |
| dwg13549 | 9 |
| dwg13550 | |
| dwg13552 | 11 |
| dwg13562 | 99 |
| dwg13589 | 15 |
| dwg13630 | 73 |
| dwg13712 | 75 |
| dwg13714 | 83 |
| dwg13812 | 27 |
| dwg13813 | 21 |
| dwg13814 | 81 |
| dwg13815 | 93 |
| dwg13817 | 13 |
| dwg13818 | 49 |
| dwg13819 | 45 |
| dwg13822 | 61 |
| dwg13824 | 63 |
| dwg13825 | 67 |
| dwg14023 | 53 |
| dwg14025 | 33 |
| dwg14028 | 37 |
| dwg14057 | 19 |
| dwg14078 | 101 |
| dwg15934 | 95 |
| dwg16506 | 85 |
| dwg16534 | 55 |
| dwg16535 | 57 |
| dwg16536 | 59 |
| dwg16903 | 65 |
| dwg16904 | 69 |
| dwg17591 | 113 |
| dwg18084 | 51 |
| dwg18085 | 47 |
| dwg18259 | 79 |
| dwg18641 | 87 |
| dwg19549 | 97 |
| dwg19550 | 89 |
| dwg22021 | 17 |
| dwg22022 | 23 |
| dwg22023 | 29 |
| dwg22024 | 35 |
| dwg23887 | 41 |
| dwg23890 | 43 |
| dwg25899 | 107 |
| dwg25901 | 111 |
| dwg26855 | |
| N/A | |
| TR-412 | 65, 70 |
| U0.195.7101.00 | 89, 97 |
| | |



Great Plains Manufacturing, Inc.

Corporate Office: P.O. Box 5060 Salina, Kansas 67402-5060 USA

www.landpride.com